

Human Dopamine-beta-Hydroxylase ELISA Kit | DbH elisa kit

Human Dopamine-beta-Hydroxylase ELISA Kit

CATALOG #
AAA100029

REACTIVITY
Human

PRODUCT SYNONYMS

Dopamine-beta-Hydroxylase; Human Dopamine-beta-Hydroxylase ELISA Kit; DbH/Dopamine-b-Hydroxylase; Dopamine-b-Hydroxylase; DbH elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of DBH. No significant cross-reactivity or interference between DBH and analogues was observed.
Sequence Length	619
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	1.563-100ng/ml
Sensitivity	0.938ng/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level DBH were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level DBH were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard operation of a DBH ELISA Kit are listed below. This standard curve was generated at our lab for demonstration purpose only. Users shall obtain standard curve as per experiment by themselves. (N/A=not applicable)

X	ng/ml	0	1.562	3.125	6.25	12.5	25	50	100
Y	OD450	0.126	0.386	0.612	0.954	1.334	1.713	1.996	2.343

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for DbH elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-DBH antibody was pre-coated onto 96-well plates. And the biotin conjugated anti- DBH antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the DBH amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of DBH can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	2358082
Molecular Weight	69,397 Da
NCBI Official Full Name	dopamine-beta-hydroxylase
UniProt Protein Name	DBH-like monooxygenase protein 2
UniProt Gene Name	Moxd2
UniProt Synonym Gene Names	Dbhl; Dbhl1
UniProt Entry Name	MOXD2_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/dbh-human-elisa-kits/dopamine-beta-hydroxylase/100029>