

Mouse Fractalkine ELISA Kit | FK/CX3CL1 elisa kit

Mouse Fractalkine ELISA Kit

CATALOG #
AAA101178

REACTIVITY
Mouse


PRODUCT SYNONYMS

Fractalkine; Mouse Fractalkine ELISA Kit; Fractalkine/CX3CL1/FKN/ABCD-3/C3Xkine/CXC3/CXC3C/NTN/NTT/SCYD1/FKN/Fractalkine/Neurotactin/ABCD-3/C3Xkine/chemokine (C-X3-C motif) ligand 1/CX3C membrane-anchored chemokine/CXC3/CXC3C/FKN/fractalkine/Neurotactin/neurotactin/neurotactin)/NTNsmall inducible cytokine subfamily D (Cys-X3-Cys); member 1 (fractalkine/NTTsmall-inducible cytokine D1/SCYD1C-X3-C motif chemokine 1/small inducible cytokine subfamily D (Cys-X3-Cys); member-1; FK/CX3CL1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	397
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.391-25ng/ml
Sensitivity	0.234ng/ml
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

Typical Data & Standard Curve

Results of a typical standard run of a Mouse FK ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A-not applicable)

X	ng/ml	0	0.391	0.781	1.563	3.125	6.25	12.5	25
Y	OD450	0.015	0.201	0.311	0.668	1.217	1.376	1.636	1.900

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FK/CX3CL1 elisa kit

Principle of the Assay||This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-Mouse FK antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-Mouse FK antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Mouse FK amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of Mouse FK can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506857
NCBI GeneID	6376
NCBI Accession #	NP_002987.1
NCBI GenBank Nucleotide #	NM_002996.4
Molecular Weight	42,203 Da
NCBI Official Full Name	fractalkine isoform 1
NCBI Official Synonym Full Names	chemokine (C-X3-C motif) ligand 1
NCBI Official Symbol	CX3CL1
NCBI Official Synonym Symbols	NTN; NTT; CXC3; CXC3C; SCYD1; ABCD-3; C3Xkine; fractalkine; neurotactin
NCBI Protein Information	fractalkine
UniProt Protein Name	Fractalkine
UniProt Gene Name	CX3CL1
UniProt Synonym Gene Names	FKN; NTT; SCYD1
UniProt Entry Name	X3CL1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/fk-cx3cl1-mouse-elisa-kits/fractalkine/101178>