

Mouse Vascuoar Endothelial Growth Factor Receptor 2 ELISA Kit | VEGFR-2/KDR elisa kit

Mouse Vascuoar Endothelial Growth Factor Receptor 2 ELISA Kit

CATALOG #
AAA101540

REACTIVITY
Mouse


PRODUCT SYNONYMS

Vascuoar Endothelial Growth Factor Receptor 2; Mouse Vascuoar Endothelial Growth Factor Receptor 2 ELISA Kit; VEGFR-2/KDR (Vascuoar Endothelial Growth Factor Receptor 2)/VEGFR2/VEGFR/CD309/Flk-1/CD309 antigen/Fetal liver kinase 1/fetal liver kinase-1/FLK-1/FLK1/tyrosine kinase growth factor receptor/Kinase insert domain receptor/kinase insert domain receptor (a type III receptor tyrosine kinase)/Protein-tyrosine kinase receptor flk-1/soluble VEGFR2; VEGFR-2/KDR elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	1356
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.156-10ng/ml
Sensitivity	0.094ng/ml
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

Typical Data & Standard Curve
Results of a typical standard run of a VEGFR-2 ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A=not applicable)

X	ng/ml	0	0.156	0.313	0.625	1.25	2.5	5	10
Y	OD450	0.022	0.043	0.078	0.138	0.315	0.682	1.552	2.763

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for VEGFR-2/KDR elisa kit

Principle of the Assay||This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-VEGFR-2 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-VEGFR-2 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the VEGFR-2 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of VEGFR-2 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	11321597
NCBI GeneID	3791
NCBI Accession #	NP_002244.1
NCBI GenBank Nucleotide #	NM_002253.2
Molecular Weight	79,634 Da
NCBI Official Full Name	vascular endothelial growth factor receptor 2
NCBI Official Synonym Full Names	kinase insert domain receptor
NCBI Official Symbol	KDR
NCBI Official Synonym Symbols	FLK1; CD309; VEGFR; VEGFR2
NCBI Protein Information	vascular endothelial growth factor receptor 2
UniProt Protein Name	Vascular endothelial growth factor receptor 2
UniProt Gene Name	KDR
UniProt Synonym Gene Names	FLK1; VEGFR2; VEGFR-2; FLK-1; KDR
UniProt Entry Name	VGFR2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/vegfr-2-kdr-mouse-elisa-kits/vascuoar-endothelial-growth-factor-receptor-2/101540>