

Human Baculoviral IAP repeat-containing protein 2 ELISA Kit | BIRC2 elisa kit

Human Baculoviral IAP repeat-containing protein 2 ELISA Kit

CATALOG #
AAA101901

REACTIVITY
Human


PRODUCT SYNONYMS

Baculoviral IAP repeat-containing protein 2; Human Baculoviral IAP repeat-containing protein 2 ELISA Kit; BIRC2/cIAP-1/HiAP-2/MIHB/API1Hiap-2/apoptosis inhibitor 1/baculoviral IAP repeat-containing 2/baculoviral IAP repeat-containing protein 2/cIAP1/c-IAP1/hIAP2/IAP homolog B/IAP2/IAP-2/Inhibitor of apoptosis protein 2/NFR2-TRAF signalling complex protein; BIRC2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	618
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	78.125-5000pg/ml
Sensitivity	46.875pg/ml
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

Typical Data & Standard Curve

Results of a typical standard run of a Human BIRC2 ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A=not applicable)

X	pg/ml	0	78	156	312.5	625	1250	2500	5000
Y	OD450	0.050	0.089	0.152	0.272	0.493	0.815	1.293	1.818

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BIRC2 elisa kit

Principle of the Assay||This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-Human BIRC2 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-Human BIRC2 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRPStreptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Human BIRC2 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of Human BIRC2 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	390608637
NCBI GeneID	329
NCBI Accession #	NP_001243092.1
NCBI GenBank Nucleotide #	NM_001256163.1
Molecular Weight	64,098 Da
NCBI Official Full Name	baculoviral IAP repeat-containing protein 2 isoform 1
NCBI Official Synonym Full Names	baculoviral IAP repeat containing 2
NCBI Official Symbol	BIRC2
NCBI Official Synonym Symbols	API1; MIHB; HIAP2; RNF48; cIAP1; Hiap-2; c-IAP1
NCBI Protein Information	baculoviral IAP repeat-containing protein 2
UniProt Protein Name	Baculoviral IAP repeat-containing protein 2
UniProt Gene Name	BIRC2
UniProt Synonym Gene Names	API1; IAP2; MIHB; RNF48; IAP-2; hIAP-2; hIAP2
UniProt Entry Name	BIRC2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/birc2-human-elisa-kits/baculoviral-iap-repeat-containing-protein-2/101901>