

Rat Tissue Polypeptide Antigen ELISA Kit | TPA elisa kit

Rat Tissue Polypeptide Antigen ELISA Kit

CATALOG #
AAA102341

REACTIVITY
Rat


PRODUCT SYNONYMS

Tissue Polypeptide Antigen; Rat Tissue Polypeptide Antigen ELISA Kit; TPA; TPA elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of TPA. No significant cross-reactivity or interference between TPA and analogues was observed. Note: Limited by current skills and knowledge, it is impossible for us to complete the crossreactivity detection between TPA and all the analogues, therefore, cross reaction may still exist.
Sequence Length	19
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	15.625-1000pg/ml
Sensitivity	9.375pg/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TPA were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TPA were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

Typical Data & Standard Curve

Results of a typical standard run of a TPA ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A/not applicable)

X	pg/ml	0	15.625	31.25	62.5	125	250	500	1000
Y	OD450	0.031	0.144	0.277	0.56	0.984	1.346	2.01	2.58

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TPA elisa kit	Principle of the Assay This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti- TPA antibody was pre-coated onto 96-well plates. And the biotin conjugated anti- TPA antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the TPA amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of TPA can be calculated.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	2285954
NCBI GeneID	5327
UniProt Accession #	Q6LBF5; P00750
Molecular Weight	2,342 Da
NCBI Official Full Name	tPA, partial
NCBI Official Synonym Full Names	plasminogen activator, tissue type
NCBI Official Symbol	PLAT
NCBI Official Synonym Symbols	TPA; T-PA
NCBI Protein Information	tissue-type plasminogen activator
UniProt Protein Name	TPA protein
UniProt Gene Name	tPA
UniProt Entry Name	Q6LBF5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/tpa-rat-elisa-kits/tissue-polypeptide-antigen/102341>