

Rabbit IKB alpha Polyclonal Antibody | anti-NFKBIA antibody

Anti-ICKB alpha Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA104393	Rabbit	Human, Mouse, Bovine, Monkey, Pig, Sheep	Immunoprecipitation, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ICKB alpha; Polyclonal Antibody; Anti-ICKB alpha Antibody; IKBA; MAD3; NFKBI; NF-kappa-B inhibitor alpha; I-kappa-B-alpha; IkB-alpha; IkappaBalpha; Major histocompatibility complex enhancer-binding protein MAD3; anti-NFKBIA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Bovine, Monkey, Pig, Sheep
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of IKB alpha protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	317
Applicable Applications for anti-NFKBIA antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human IKB alpha. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of NFYA staining in K562 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of NFYA staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of NFYA expression in A431 (A), K562 (B), NIH3T3 (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-NFKBIA antibody	Rabbit polyclonal antibody to IKB alpha
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	10092619
NCBI GeneID	4792
NCBI Accession #	NP_065390.1
NCBI GenBank Nucleotide #	NM_020529.2
UniProt Accession #	P25963; B2R8L6
Molecular Weight	35,609 Da
NCBI Official Full Name	NF-kappa-B inhibitor alpha
NCBI Official Synonym Full Names	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
NCBI Official Symbol	NFKBIA
NCBI Official Synonym Symbols	IKBA; MAD-3; NFKBI
NCBI Protein Information	NF-kappa-B inhibitor alpha; ikB-alpha; IkappaBalpha; I-kappa-B-alpha; nuclear factor of kappa light chain gene enhancer in B-cells; major histocompatibility complex enhancer-binding protein MAD3
UniProt Protein Name	NF-kappa-B inhibitor alpha
UniProt Gene Name	NFKBIA
UniProt Synonym Gene Names	IKBA; MAD3; NFKBI; IkB-alpha; IkappaBalpha
UniProt Entry Name	IKBA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
 Online datasheet: <https://stage.aaabiotech.com/polyclonal/ikb-alpha-antibody-immunoprecipitation-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/104393>