

Rabbit HSP60 Polyclonal Antibody | anti-HSPD1 antibody

Anti-HSP60 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA104924	Rabbit	Human, Mouse, Rat, Monkey	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

HSP60; Polyclonal Antibody; Anti-HSP60 Antibody; 60 kDa heat shock protein; mitochondrial; 60 kDa chaperonin; Chaperonin 60; CPN60; Heat shock protein 60; HSP-60; Hsp60; HuCHA60; Mitochondrial matrix protein P1; P60 lymphocyte protein; anti-HSPD1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Monkey
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of HSP60 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	573
Applicable Applications for anti-HSPD1 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human HSP60. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of HSP60 staining in NIH3T3 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of HSP60 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of HSP60 expression in HeLa (A), NIH3T3 (B), KNRK (C), L929 (D) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-HSPD1 antibody

Rabbit polyclonal antibody to HSP60

NCBI AND UNIPROT INFORMATION

NCBI GI #	31542947
NCBI GeneID	3329
NCBI Accession #	NP_002147.2
NCBI GenBank Nucleotide #	NM_002156.4
UniProt Accession #	P10809; Q38L19; Q9UCR6; B2R5M6; B7Z712
Molecular Weight	17,100 Da
NCBI Official Full Name	60 kDa heat shock protein, mitochondrial
NCBI Official Synonym Full Names	heat shock 60kDa protein 1 (chaperonin)
NCBI Official Symbol	HSPD1
NCBI Official Synonym Symbols	HLD4; CPN60; GROEL; HSP60; HSP65; SPG13; HSP-60; HuCHA60
NCBI Protein Information	60 kDa heat shock protein, mitochondrial; chaperonin 60; 60 kDa chaperonin; heat shock protein 65; P60 lymphocyte protein; mitochondrial matrix protein P1; short heat shock protein 60 Hsp60s1
UniProt Protein Name	60 kDa heat shock protein, mitochondrial
UniProt Gene Name	HSPD1
UniProt Synonym Gene Names	HSP60; CPN60; HSP-60; Hsp60
UniProt Entry Name	CH60_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/hsp60-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/104924>