

Rabbit anti-Human Cytochrome P450 3A4/5 Polyclonal Antibody | anti-CYP3A4 antibody

Anti-Cytochrome P450 3A4/5 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA105170	Rabbit	Human	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Cytochrome P450 3A4/5; Polyclonal Antibody; Anti-Cytochrome P450 3A4/5 Antibody; CYP3A4; CYP3A3; Cytochrome P450 3A4; 1; 8-cineole 2-exo-monooxygenase; Albendazole monooxygenase; Albendazole sulfoxidase; CYP11A3; CYP11A4; Cytochrome P450 3A3; Cytochrome P450 HLP; Cytochrome P450 NF-25; Cytochrome P450-PCN1; Nifedipine oxidase; Quinine 3-monooxygenase; Taurochenodeoxycholate 6-alpha-hydroxylase; CYP3A5; Cytochrome P450 3A5; CYP11A5; Cytochrome P450 HLP2; Cytochrome P450-PCN3; anti-CYP3A4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Cytochrome P450 3A4/5 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	502
Applicable Applications for anti-CYP3A4 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Cytochrome P450 3A4/5. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Cytochrome P450 3A4/5 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of Cytochrome P450 3A4/5 staining in human liver cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Cytochrome P450 3A4/5 expression in NCIH460 (A), HepG2 (B) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-CYP3A4 antibody	Rabbit polyclonal antibody to Cytochrome P450 3A4/5
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	322302351
NCBI GeneID	1576
NCBI Accession #	NP_001189784.1
NCBI GenBank Nucleotide #	NM_001202855.2
UniProt Accession #	P08684; P05184; Q16757; Q9UK50
Molecular Weight	57,343 Da
NCBI Official Full Name	cytochrome P450 3A4 isoform 2
NCBI Official Synonym Full Names	cytochrome P450, family 3, subfamily A, polypeptide 4
NCBI Official Symbol	CYP3A4
NCBI Official Synonym Symbols	HLP; CP33; CP34; CYP3A; NF-25; CYP3A3; P450C3; CYP3A3; CYP3A4; P450PCN1
NCBI Protein Information	cytochrome P450 3A4; nifedipine oxidase; cytochrome P450 3A3; cytochrome P450 HLP; cytochrome P450-PCN1; cytochrome P450 NF-25; alendazole sulfoxidase; quinine 3-monooxygenase; alendazole monooxygenase; P450-III, steroid inducible; glucocorticoid-inducible P450; 1,8-cineole 2-exo-monooxygenase; taurochenodeoxycholate 6-alpha-hydroxylase; cytochrome P450, subfamily IIIA (nifedipine oxidase), polypeptide 3; cytochrome P450, subfamily IIIA (nifedipine oxidase), polypeptide 4
UniProt Protein Name	Cytochrome P450 3A4
UniProt Gene Name	CYP3A4
UniProt Synonym Gene Names	CYP3A3
UniProt Entry Name	CP3A4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cytochrome-p450-3a4-5-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/105170>