

Rabbit Galectin 3 Polyclonal Antibody | anti-LGALS3 antibody

Anti-Galectin 3 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA105238	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Galectin 3; Polyclonal Antibody; Anti-Galectin 3 Antibody; MAC2; Galectin-3; Gal-3; 35 kDa lectin; Carbohydrate-binding protein 35; CBP 35; Galactose-specific lectin 3; Galactoside-binding protein; GALBP; IgE-binding protein; L-31; Laminin-binding protein; Lectin L-29; Mac-2 antigen; anti-LGALS3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Galectin 3 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	250
Applicable Applications for anti-LGALS3 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Galectin 3. The exact sequence is proprietary.
Preparation and Storage	Upon receipt, aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Galectin 3 staining in Jurkat cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of Galectin 3 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Galectin 3 expression in HEK293T (A), HeLa (B), mouse kidney (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-LGALS3 antibody

Rabbit polyclonal antibody to Galectin 3

NCBI AND UNIPROT INFORMATION

NCBI GI #	115430223
NCBI GeneID	3958
NCBI Accession #	NP_002297.2
NCBI GenBank Nucleotide #	NM_002306.3
UniProt Accession #	P17931; Q16005; Q6IBA7; Q96J47; B2RC38
NCBI Official Full Name	galectin-3 isoform 1
NCBI Official Synonym Full Names	lectin, galactoside-binding, soluble, 3
NCBI Official Symbol	LGALS3
NCBI Official Synonym Symbols	L31; GAL3; MAC2; CBP35; GALBP; GALIG; LGALS2
NCBI Protein Information	galectin-3; lectin L-29; 35 kDa lectin; MAC-2 antigen; IgE-binding protein; laminin-binding protein; galactose-specific lectin 3; carbohydrate-binding protein 35
UniProt Protein Name	Galectin-3
UniProt Gene Name	LGALS3
UniProt Synonym Gene Names	MAC2; Gal-3; CBP 35; GALBP
UniProt Entry Name	LEG3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/galectin-3-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/105238>