

Rabbit HSP90 alpha Polyclonal Antibody | anti-HSP90AA1 antibody

Anti-HSP90 alpha Antibody

CATALOG # AAA105327	HOST Rabbit	REACTIVITY Human, Mouse, Rat, Bovine, Chicken, Dog, Monkey, Pig, Rabbit	APPLICATIONS Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot
-------------------------------	-----------------------	---	--


PRODUCT SYNONYMS

HSP90 alpha; Polyclonal Antibody; Anti-HSP90 alpha Antibody; HSP90A; HSPC1; HSPCA; Heat shock protein HSP 90-alpha; Heat shock 86 kDa; HSP 86; HSP86; Lipopolysaccharide-associated protein 2; LAP-2; LPS-associated protein 2; Renal carcinoma antigen NY-REN-38; anti-HSP90AA1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine, Chicken, Dog, Monkey, Pig, Rabbit
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of HSP90 alpha protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	854
Applicable Applications for anti-HSP90AA1 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human HSP90 alpha. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of HSP90 alpha staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of HSP90 alpha staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of HSP90 alpha expression in MCF7 (A), HeLa (B), NIH3T3 (C), C6 (D), mouse liver (E), rat liver (F) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-HSP90AA1 antibody	Rabbit polyclonal antibody to HSP90 alpha
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	153792590
NCBI GeneID	3320
NCBI Accession #	NP_001017963.2
NCBI GenBank Nucleotide #	NM_001017963.2
UniProt Accession #	P07900; Q2PP14; Q5CAQ6; Q5CAQ7; Q9BVQ5; A8K500; B3KPJ9
Molecular Weight	98,161 Da
NCBI Official Full Name	heat shock protein HSP 90-alpha isoform 1
NCBI Official Synonym Full Names	heat shock protein 90kDa alpha (cytosolic), class A member 1
NCBI Official Symbol	HSP90AA1
NCBI Official Synonym Symbols	EL52; HSPN; LAP2; HSP86; HSPC1; HSPCA; Hsp89; Hsp90; LAP-2; HSP89A; HSP90A; HSP90N; HSPCAL1; HSPCAL4
NCBI Protein Information	heat shock protein HSP 90-alpha; HSP 86; heat shock 86 kDa; LPS-associated protein 2; heat shock 90kD protein 1, alpha; heat shock 90kDa protein 1, alpha; renal carcinoma antigen NY-REN-38; heat shock 90kD protein, alpha-like 4; epididymis luminal secretory protein 52; heat shock 90kD protein 1, alpha-like 4; lipopolysaccharide-associated protein 2
UniProt Protein Name	Heat shock protein HSP 90-alpha
UniProt Gene Name	HSP90AA1
UniProt Synonym Gene Names	HSP90A; HSPC1; HSPCA; HSP 86; HSP86; LAP-2; LPS-associated protein 2
UniProt Entry Name	HS90A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.