

Rabbit anti-Human Collagen 5 alpha 1 Polyclonal Antibody | anti-COL5A1 antibody

Anti-Collagen 5 alpha 1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA105337	Rabbit	Human	Immunoprecipitation, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Collagen 5 alpha 1; Polyclonal Antibody; Anti-Collagen 5 alpha 1 Antibody; Collagen alpha-1(V) chain; anti-COL5A1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Collagen 5 alpha 1 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	1838
Applicable Applications for anti-COL5A1 antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Collagen 5 alpha 1. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Collagen 5 alpha 1 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of Collagen 5 alpha 1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Collagen 5 alpha 1 expression in HeLa (A) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-COL5A1 antibody	Rabbit polyclonal antibody to Collagen 5 alpha 1
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	89276751
NCBI GeneID	1289
NCBI Accession #	NP_000084.3
NCBI GenBank Nucleotide #	NM_000093.4
UniProt Accession #	P20908; Q15094; Q5SUX4
Molecular Weight	183,560 Da
NCBI Official Full Name	collagen alpha-1(V) chain isoform 1 preproprotein
NCBI Official Synonym Full Names	collagen, type V, alpha 1
NCBI Official Symbol	COL5A1
NCBI Protein Information	collagen alpha-1(V) chain; collagen alpha-1(V) chain
UniProt Protein Name	Collagen alpha-1(V) chain
UniProt Gene Name	COL5A1
UniProt Entry Name	CO5A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/collagen-5-alpha-1-antibody-immunoprecipitation-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/105337>