Rabbit Calnexin (pS583) Polyclonal Antibody | anti-CANX antibody

Anti-Calnexin (pS583) Phospho Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA105372	**Rabbit**	**Human, Mouse, Rat, Bovine, Dog**	**Immunoprecipitation, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot**

PRODUCT SYNONYMS

Calnexin (pS583); Polyclonal Antibody; Anti-Calnexin (pS583) Phospho Antibody; Calnexin; IP90; Major histocompatibility complex class I antigen-binding protein p88; p90; anti-CANX antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine, Dog
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Calnexin (pS583) protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	592
Applicable Applications for anti-CANX antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human Calnexin. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES

IF (Immunofluorescence)
Immunofluorescent analysis of Calnexin staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).

IHC (Immunohiostchemistry)
Immunohistochemical analysis of Calnexin staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
Western blot analysis of Calnexin expression in MCF7 (A), HeLa (B), MDAMB231 (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-CANX antibody	Rabbit polyclonal antibody to Calnexin (pS583)

NCBI AND UNIPROT INFORMATION

NCBI GI #	66933005
NCBI GeneID	821
NCBI Accession #	NP_001019820.1
NCBI GenBank Nucleotide #	NM_001024649.1
UniProt Accession #	P27824; B2R5V8; B4DGP8; B4E2T8; D3DWQ3; D6R9K3
Molecular Weight	55,598 Da
NCBI Official Full Name	calnexin
NCBI Official Synonym Full Names	calnexin
NCBI Official Symbol	CANX
NCBI Official Synonym Symbols	CNX; P90; IP90
NCBI Protein Information	calnexin; major histocompatibility complex class I antigen-binding protein p88
UniProt Protein Name	Calnexin
UniProt Gene Name	**CANX**
UniProt Entry Name	CALX_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://stage.aaabiotech.com/polyclonal/calnexin-ps583-antibody-immunoprecipitation-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/105372