

Mouse CXCL1 ELISA Kit | CXCL1 elisa kit

Mouse CXCL1 ELISA Kit

CATALOG # AAA105647	REACTIVITY Mouse	APPLICATIONS ELISA
-------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

CXCL1; Mouse CXCL1 ELISA Kit; GRO; GRO1; GROA; MGSA; SCYB1; Growth-regulated alpha protein; C-X-C motif chemokine 1; GRO-alpha(1-73); Melanoma growth stimulatory activity; Neutrophil-activating protein 3; NAP-3; CXCL1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	The Mouse CXCL1 ELISA Kit allows for the detection and quantification of endogenous levels of natural and/or recombinant Mouse CXCL1 proteins within the range of 15.6 pg/ml - 1000 pg/ml.
Sequence Length	96
Samples	Cell Culture Supernatants, Serum
Sensitivity	1 pg/ml.
Applicable Applications for CXCL1 elisa kit	ELISA (Sandwich ELISA)
Preparation and Storage	Shipped and store at 4 degree C for 6 months, store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CXCL1 elisa kit	Principle of the Assay: The Mouse CXCL1 ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of Mouse CXCL1 in Cell Culture Supernatants, Serum. This assay employs an antibody specific for Mouse CXCL1 coated on a 96-well plate. Standards and samples are pipetted into the wells and CXCL1 present in a sample is bound to the wells by the immobilized antibody. The wells are washed and biotinylated anti-Mouse CXCL1 antibody is added. After washing away unbound biotinylated antibody, HRP-conjugated streptavidin is pipetted to the wells. The wells are again washed, a TMB substrate solution is added to the wells and color develops in proportion to the amount of CXCL1 bound. The Stop Solution changes the color from blue to yellow, and the intensity of the color is measured at 450 nm. Background/Introduction: Chemokine (C-X-C motif) ligand 1 (CXCL1) is a small cytokine belonging to the CXC chemokine family that was previously called GRO1 oncogene, GROγ, KC, Neutrophil-activating protein 3 (NAP-3) and melanoma growth stimulating activity, alpha (MSGA-α). In humans, this protein is encoded by the CXCL1 gene. The gene for CXCL1 is located on human chromosome 4 amongst genes for other CXC chemokines. The mature form of CXCL1 is maximally 73 amino acids long. CXCL1 is secreted by human melanoma cells, has mitogenic properties and is implicated in melanoma pathogenesis. CXCL1 is expressed by macrophages, neutrophils and epithelial cells, and has neutrophil chemoattractant activity. This chemokine elicits its effects by signaling through the chemokine receptor CXCR2.CXCL1 decreased the severity of multiple sclerosis and may offer a neuro-protective function.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	6680109
NCBI GeneID	14825
NCBI Accession #	NP_032202.1
NCBI GenBank Nucleotide #	NM_008176.3
UniProt Accession #	P12850
Molecular Weight	10,254 Da
NCBI Official Full Name	growth-regulated alpha protein
NCBI Official Synonym Full Names	chemokine (C-X-C motif) ligand 1
NCBI Official Symbol	Cxcl1
NCBI Official Synonym Symbols	KC; Fsp; N51; gro; Gro1; Mgsa; Scyb1
NCBI Protein Information	growth-regulated alpha protein; KC/GR)-alpha; KC/GRO-alpha; GRO1 oncogene; alpha-chemokine; secretory protein N51; C-X-C motif chemokine 1; platelet-derived growth factor-inducible protein KC
UniProt Protein Name	Growth-regulated alpha protein
UniProt Gene Name	Cxcl1
UniProt Synonym Gene Names	Gro; Gro1; Mgsa; Scyb1; HSF
UniProt Entry Name	GROA_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/cxcl1/105647>