

IgG (H+L) Secondary Antibody

HRP Goat Anti-Mouse IgG (H+L) Antibody

CATALOG # AAA10764	HOST Goat	APPLICATIONS Western Blot, ELISA
------------------------------	---------------------	--


PRODUCT SYNONYMS

IgG (H+L); HRP Goat Anti-Mouse IgG (H+L) Antibody; HRP Goat Anti-Mouse IgG (H+L): N/A; IgG (H+L) secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Isotype	Horseradish peroxidase conjugated IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.75% BSA, 50% glycerol, pH 7.3.
Applicable Applications for IgG (H+L) secondary antibody	WB (Western Blot), ELISA
Application Notes	WB: 1:2000 - 1:10000 EIA: 1:5000-1:10000
Immunogen	Mouse IgG
Preparation and Storage	Store at -20°C. Avoid freeze / thaw cycles.

IMAGES



WB (Western Blot)

Western blot analysis of extracts of HeLa cells, using GAPDH antibody as the primary antibody. Secondary antibody: HRP Goat Anti-Mouse IgG (H+L) antibody (AAA10764) at 1:5000/1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure Time: 60s.

ADDITIONAL INFORMATION

Related Product Information for IgG (H+L) secondary antibody	Background: Secondary antibodies are affinity-purified antibodies which will work with target-specific primary antibody in the detection, sorting or purification of its specified target. Secondary antibodies offer increased versatility enabling users to use many detection systems (e.g. HRP, AP, fluorescence). They can also provide greater sensitivity through signal amplification as multiple secondary antibodies . Most commonly, secondary antibodies are generated by immunizing the host animal (different from host species of primary antibody) with a pooled population of normal immunoglobulins from the host species of primary antibody and can be further purified and modified (i.e. antibody fragmentation, label conjugation, etc.) to ensure well-characterized specificity to corresponding normal immunoglobulins.
Product Categories/Family for IgG (H+L) secondary antibody	Secondary Antibody

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/goat-secondary-antibody/igg-hl/10764>