

## Rabbit CD105 Polyclonal Antibody | anti-CD105 antibody

CD105 Antibody

| CATALOG # | HOST   | REACTIVITY        | APPLICATIONS                              |
|-----------|--------|-------------------|-------------------------------------------|
| AAA110076 | Rabbit | Human, Mouse, Rat | Immunohistochemistry, Western Blot, ELISA |


### PRODUCT SYNONYMS

CD105; Polyclonal Antibody; CD105 Antibody; anti-CD105 antibody


### PRODUCT SPECIFICATIONS

|                                                 |                                                                                                                                                                                            |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Host                                            | Rabbit                                                                                                                                                                                     |
| Reactivity                                      | Human, Mouse, Rat                                                                                                                                                                          |
| Clonality                                       | Polyclonal                                                                                                                                                                                 |
| Form/Format                                     | Purified by protein A column containing 0.02% NaN <sub>3</sub>                                                                                                                             |
| Applicable Applications for anti-CD105 antibody | IHC (Immunohistochemistry), WB (Western Blot), ELISA (Peptide ELISA)                                                                                                                       |
| Preparation and Storage                         | Already reconstituted in 200ul sterile H <sub>2</sub> O. The antibody is stable for at least one year when stored at -20 degree C after reconstitution. Avoid repeated freeze/thaw cycles. |

### IMAGES



Immunohistochemical staining of formalin-fixed paraffin-embedded fetal small intestine showing membrane staining with anti-CD105 antibody at a dilution of 1/100.



Application Data

Application Data

### ADDITIONAL INFORMATION

|                                                     |                                                                                                                                                                                                                   |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for anti-CD105 antibody | Rabbit polyclonal CD105(1) antibody was raised against a peptide from C terminal residues of human CD105 protein.                                                                                                 |
| Product Categories/Family for anti-CD105 antibody   | Autophagy antibody; Cancer; Cardiovascular; Cell Biology; Epigenetics & Nuclear Signaling; Developmental Biologys; Immunology; Drug Discovery Products; Metabolism; Neuroscience; Signal Transduction; Stem Cells |
| References                                          | (1) Qin Li, L., Huang, H.L., Ping, J.L., et al. Expression of midkine and endoglin in breast carcinomas with different immunohistochemical profiles. APMIS 119 (2), 103-110 (2011).                               |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

