

Brain-derived neurotrophic factor (BDNF) Recombinant Protein | BDNF recombinant protein

Recombinant Human Brain-derived neurotrophic factor (BDNF), partial

CATALOG # AAA113843	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
-------------------------------	---


PRODUCT SYNONYMS

Brain-derived neurotrophic factor (BDNF); Recombinant Human Brain-derived neurotrophic factor (BDNF); partial; Abrineurin; BDNF recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	137-237. Partial
Sequence	ELSVCDISSE WVTAAADKKTA VDMSGGTVTV LEKVPVSKGQ LKQYFYETKC NPMGYTKEGC RGIDKRHWNS QCRTTQSYVR ALTMDSKKRI GWRFIRIDTS C
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for BDNF recombinant protein	During development, promotes the survival and differentiation of selected neuronal populations of the peripheral and central nervous systems. Participates in axonal growth, pathfinding and in the modulation of dendritic growth and morphology. Major regulator of synaptic transmission and plasticity at adult synapses in many regions of the CNS. The versatility of BDNF is phasized by its contribution to a range of adaptive neuronal responses including long-term potentiation (LTP), long-term depression (LTD), certain forms of short-term synaptic plasticity, as well as homeostatic regulation of intrinsic neuronal excitability.
Product Categories/Family for BDNF recombinant protein	Neuroscience

References	Molecular cloning of a human gene that is a member of the nerve growth factor family.Jones K.R., Reichardt L.F.Proc. Natl. Acad. Sci. U.S.A. 87:8060-8064(1990) Human and rat brain-derived neurotrophic factor and neurotrophin-3 gene structures, distributions, and chromosomal localizations.Maisonpierre P.C., le Beau M.M., Espinosa R. III, Ip N.Y., Belluscio L., de la Monte S.M., Squinto S., Furth M.E., Yancopoulos G.D.Genomics 10:558-568(1991) Characterization of the 5'-flanking region of the human brain-derived neurotrophic factor gene.Shintani A., Ono Y., Kaisho Y., Igarashi K.Biochem. Biophys. Res. Commun. 182:325-332(1992) Human brain derived neurotrophic factor (BDNF) genes, splicing patterns, and assessments of associations with substance abuse and Parkinson's Disease.Liu Q.-R., Walther D., Drgon T., Polesskaya O., Lesnick T.G., Strain K.J., de Andrade M., Bower J.H., Maraganore D.M., Uhl G.R.Am. J. Med. Genet. B Neuropsychiatr. Genet. 134:93-103(2005) Dissecting the human BDNF locus bidirectional transcription, complex splicing, and multiple promoters.Pruunsild P., Kazantseva A., Aid T., Palm K., Timmusk T.Genomics 90:397-406(2007) A cDNA clone of human brain-derived neurotrophic factor (HUMBDNFD) .Cheng Y., Gu J.Wu J., Zhang B., Zhou Y., Peng X., Yuan J., Qiang B.Perez-Pinera P., Gonzalez-Martinez T., Garcia-Suarez O., Perez-Perez M., Esteban I., Monjil D., Vega J.A.Complete sequencing and characterization of 21,243 full-length human cDNAs.Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S.Nat. Genet. 36:40-45(2004) Human chromosome 11 DNA sequence and analysis including novel gene identification.Taylor T.D., Noguchi H., Totoki Y., Toyoda A., Kuroki Y., Dewar K., Lloyd C., Itoh T., Takeda T., Kim D.-W., She X., Barlow K.F., Bloom T., Bruford E., Chang J.L., Cuomo C.A., Eichler E., FitzGerald M.G., Jaffe D.B., LaButti K., Nicol R., Park H.-S., Seaman C., Sougnez C., Yang X., Zimmer A.R., Zody M.C., Birren B.W., Nusbaum C., Fujiyama A., Hattori M., Rogers J., Lander E.S., Sakaki Y.Nature 440:497-500(2006)
------------	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	219842288
NCBI GeneID	627
NCBI Accession #	NP_001137277.1
NCBI GenBank Nucleotide #	NM_001143805.1
UniProt Accession #	P23560; Q598Q1; Q6DN19; Q6YNR2; Q6YNR3; Q9BYY7; Q9UC24; A7LA85; A7LA92; D3DQZ2
Molecular Weight	38.5 kDa
NCBI Official Full Name	brain-derived neurotrophic factor isoform a preproprotein
NCBI Official Synonym Full Names	brain-derived neurotrophic factor
NCBI Official Symbol	BDNF
NCBI Official Synonym Symbols	ANON2; BULN2
NCBI Protein Information	brain-derived neurotrophic factor
UniProt Protein Name	Brain-derived neurotrophic factor
UniProt Gene Name	BDNF
UniProt Synonym Gene Names	BDNF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/bdnf-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/113843>