

Indoleamine 2,3-dioxygenase 1 Recombinant Protein | IDO1 recombinant protein

Recombinant Human Indoleamine 2,3-dioxygenase 1

CATALOG # AAA114082	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
-------------------------------	---


PRODUCT SYNONYMS

Indoleamine 2; 3-dioxygenase 1; Recombinant Human Indoleamine 2; Indoleamine-pyrrole 2; 3-dioxygenase; IDO1 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	1-403aa; Full Length
Sequence	MAHAMENSWT ISKEYHIDEE VGFALPNPQE NLPDFYNDWM FIAKHLPDLI ESGQLRERVE KLNMLSIDHL TDHKSQRLAR LVLGCITMAY VWGKGHGDVR KVLPRNIAVP YCQLSKKLEL PPILVYADCV LANWKKKDPN KPLTYENMDV LFSFRDGDSCS KGFFLVSLLV EIAAASAIKV IPTVFKAMQM QERDTLLKAL LEIASCLEKA LQVFHQIHDH VNPKAFFSVL RIYLSGWKGN PQLSDGLVYE GFWEDPKEFA GGSAGQSSVF QCFDVLGIIQ QTAGGGHAAQ FLQDMRRYMP PAHRNFLCSL ESNPSVREFV LSKGDAGLRE AYDACVKALV SLRSYHLQIV TKYLIPASQ QPKENKTSER PSKLEAKGTG GTDLMNFKT VRSTTEKSL KEG
Sequence Length	403
Production Note	Special Offer: The E Coli host-expressed protein is manufactured from a stock plasmid containing the protein gene. E Coli host-expressed protein is stocked in different unit sizes ranging from as small as 10 ug to as large as 1 mg. Bulk inventory is also available. The E Coli host-expressed protein has been ordered over and over again by researchers and has stood the test of time as both a robust protein and important target for the research community. It is part of our new program to make our most popular protein targets and corresponding hosts available in expanded unit sizes and with a quick processing time. Select E Coli host-expressed protein for the fastest delivery among all hosts. Please contact our or email to for more details.
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for IDO1 recombinant protein	Catalyzes the cleavage of the pyrrol ring of tryptophan and incorporates both atoms of a molecule of oxygen.
Product Categories/Family for IDO1 recombinant protein	Cardiovascular
References	Molecular cloning, sequencing and expression of human interferon-gamma-inducible indoleamine 2,3-dioxygenase cDNA.Dai W., Gupta S.L.Biochem. Biophys. Res. Commun. 168:1-8(1990) Primary structure of human indoleamine 2,3-dioxygenase deduced from the nucleotide sequence of its cDNA.Tone S., Takikawa O., Habara-Ohkubo A., Kadoya A., Yoshida R., Kido R.Nucleic Acids Res. 18:367-367(1990) Gene structure of human indoleamine 2,3-dioxygenase.Kadoya A., Tone S., Maeda H., Minatogawa Y., Kido R.Biochem. Biophys. Res. Commun. 189:530-536(1992) Human indoleamine 2,3-dioxygenase from peripheral blood.He X., Xu L., Liu Y., Zeng Y. Complete sequencing and characterization of 21,243 full-length human cDNAs.Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S.Nat. Genet. 36:40-45(2004) Novel tryptophan catabolic enzyme IDO2 is the preferred biochemical target of the antitumor indoleamine 2,3-dioxygenase inhibitory compound D-1-methyl-tryptophan.Metz R., Duhadaway J.B., Kamasani U., Laury-Kleintop L., Muller A.J., Prendergast G.C.Cancer Res. 67:7082-7087(2007) Evolution of vertebrate indoleamine 2,3-dioxygenases.Yuasa H.J., Takubo M., Takahashi A., Hasegawa T., Noma H., Suzuki T.J. Mol. Evol. 65:705-714(2007) Crystal structure of human indoleamine 2,3-dioxygenase catalytic mechanism of O2 incorporation by a heme-containing dioxygenase.Sugimoto H., Oda S., Otsuki T., Hino T., Yoshida T., Shiro Y.Proc. Natl. Acad. Sci. U.S.A. 103:2611-2616(2006)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504577
NCBI GeneID	3620
NCBI Accession #	NP_002155.1
NCBI GenBank Nucleotide #	NM_002164.5
UniProt Accession #	P14902; Q540B4; E5RGR8; F6M9T7
Molecular Weight	47.3 kDa
NCBI Official Full Name	indoleamine 2,3-dioxygenase 1
NCBI Official Synonym Full Names	indoleamine 2,3-dioxygenase 1
NCBI Official Symbol	IDO1
NCBI Official Synonym Symbols	IDO; INDO; IDO-1
NCBI Protein Information	indoleamine 2,3-dioxygenase 1
UniProt Protein Name	Indoleamine 2,3-dioxygenase 1
UniProt Gene Name	IDO1

UniProt Synonym Gene Names	IDO; INDO; IDO-1
UniProt Entry Name	I23O1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/ido1-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/114082>