

Interleukin-6 protein (IL6) Active Protein | IL6 active protein

Recombinant Human Interleukin-6 protein (IL6) (Active)

CATALOG #
AAA114237

HOST
E Coli


PRODUCT SYNONYMS

Interleukin-6 protein (IL6); Recombinant Human Interleukin-6 protein (IL6) (Active); IL-6; BSF-2; CTL differentiation factor; CDF; Hybridoma growth factor; IL6 active protein

PRODUCT SPECIFICATIONS

Host	E Coli
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized
Sequence Positions	30-212aa
Sequence	VPPGEDSKDV AAPHRQPLTS SERIDKQIRY ILDGISALRK ETCNKSNMCE SSKEALAENN LNLPKMAEKD GCFQSGFNEE TCLVKIITGL LEFEVYLEYL QNRFESSEEQ ARAVQMSTKV LIQFLQKKAK NLDAITTPDP TTNASLLTKL QAQNQWLQDM TTHLILRSFK EFLQSSLRAL RQM
Sequence Length	212
Species	Homo sapiens (Human)
Biological Activity	Assay #1: Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using IL-6-dependent murine 7TD1 cells is less than 0.1 ng/ml, corresponding to a specific activity of $> 1.0 \times 10^7$ IU/mg. Assay #2: Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using IL-6-dependent murine T1165 cells is less than 0.8 ng/ml, corresponding to a specific activity of $> 1.25 \times 10^6$ IU/mg.
Endotoxin	Less than 1.0 EU/ug as determined by LAL method.
Protein Note	Protein will be provided with aseptic processing and endotoxin removal.
Preparation and Storage	Generally, the shelf life of liquid form is 6 months at -20/-80 degree C. The shelf life of lyophilized form is 12 months at -20/-80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for IL6 active protein	Cytokine with a wide variety of biological functions. It is a potent inducer of the acute phase response. Plays an essential role in the final differentiation of B-cells into Ig-secreting cells Involved in lymphocyte and monocyte differentiation. Acts on B-cells, T-cells, hepatocytes, hematopoietic progenitor cells and cells of the CNS. Required for the generation of T(H)17 cells. Also acts as a myokine. It is discharged into the bloodstream after muscle contraction and acts to increase the breakdown of fats and to improve insulin resistance. It induces myeloma and plasmacytoma growth and induces nerve cells differentiation.
Product Categories/Family for IL6 active protein	Biological Active Protein; Immunology; Interleukin

NCBI AND UNIPROT INFORMATION

NCBI GI #	10834984
NCBI GeneID	3569
NCBI Accession #	NP_000591.1
NCBI GenBank Nucleotide #	NM_000600.4
UniProt Accession #	P05231; Q9UCU2; Q9UCU3; Q9UCU4
Molecular Weight	20.7 kDa
NCBI Official Full Name	interleukin-6 isoform 1
NCBI Official Synonym Full Names	interleukin 6
NCBI Official Symbol	IL6
NCBI Official Synonym Symbols	CDF; HGF; HSF; BSF2; IL-6; BSF-2; IFNB2; IFN-beta-2
NCBI Protein Information	interleukin-6
UniProt Protein Name	Interleukin-6
UniProt Gene Name	IL6
UniProt Synonym Gene Names	IFNB2; IL-6; BSF-2; CDF; IFN-beta-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.