

Pro-neuregulin-1, membrane-bound isoform (NRG1) Active Protein | NRG1 active protein

Recombinant Human Pro-neuregulin-1, membrane-bound isoform (NRG1), partial (Active)

CATALOG #
AAA114246

HOST
E Coli


PRODUCT SYNONYMS

Pro-neuregulin-1; membrane-bound isoform (NRG1); Recombinant Human Pro-neuregulin-1; partial (Active); Pro-NRG1; ARIA; Breast cancer cell differentiation factor p45; Glial growth factor; Heregulin; NRG1 active protein

PRODUCT SPECIFICATIONS

Host	E Coli
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized
Sequence Positions	122-186aa
Sequence	SHLVKCAEKE KTFVCVNGGEC FMVKDLSNPS RYLCKCPNEF TGDRCQNYVM ASFYKHLGIE FMEAE
Sequence Length	607
Species	Homo sapiens (Human)
Biological Activity	Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using serum free human MCF-7 cells is less than 0.5 ng/ml, corresponding to a specific activity of $> 2.0 \times 10^6$ IU/mg.
Endotoxin	Less than 1.0 EU/ug as determined by LAL method.
Protein Note	Protein will be provided with aseptic processing and endotoxin removal.
Preparation and Storage	Generally, the shelf life of liquid form is 6 months at -20/-80 degree C. The shelf life of lyophilized form is 12 months at -20/-80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for NRG1 active protein	Direct ligand for ERBB3 and ERBB4 tyrosine kinase receptors. Concomitantly recruits ERBB1 and ERBB2 coreceptors, resulting in ligand-stimulated tyrosine phosphorylation and activation of the ERBB receptors. The multiple isoforms perform diverse functions such as inducing growth and differentiation of epithelial, glial, neuronal, and skeletal muscle cells; inducing expression of acetylcholine receptor in synaptic vesicles during the formation of the neuromuscular junction; stimulating lobuloalveolar budding and milk production in the mammary gland and inducing differentiation of mammary tumor cells; stimulating Schwann cell proliferation; implication in the development of the myocardium such as trabeculation of the developing heart. Isoform 10 may play a role in motor and sensory neuron development. {ECO:0000269 PubMed:1348215, ECO:0000269 PubMed:7902537}.
Product Categories/Family for NRG1 active protein	Biological Active Protein; Neuroscience ; Growth Factor

NCBI AND UNIPROT INFORMATION

NCBI GI #	236461509
NCBI GeneID	3084
NCBI Accession #	NP_001153467.1
NCBI GenBank Nucleotide #	NM_001159995.2
UniProt Accession #	Q02297; O14667; P98202; Q02298; Q02299; Q07110; Q07111; A5YAK4; A5YAK5; A8K1L2; B7Z4Z3; E9PHH4
Molecular Weight	7.5 kDa
NCBI Official Full Name	pro-neuregulin-1, membrane-bound isoform isoform HRG-beta1c
NCBI Official Synonym Full Names	neuregulin 1
NCBI Official Symbol	NRG1
NCBI Official Synonym Symbols	GGF; HGL; HRG; NDF; ARIA; GGF2; HRG1; HRGA; SMDF; MST131; MSTP131; NRG1-IT2
NCBI Protein Information	pro-neuregulin-1, membrane-bound isoform
UniProt Protein Name	Pro-neuregulin-1, membrane-bound isoform
UniProt Gene Name	NRG1
UniProt Synonym Gene Names	GGF; HGL; HRGA; NDF; SMDF; Pro-NRG1; ARIA; HRG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/e-coli-active-protein/pro-neuregulin-1-membrane-bound-isoform-nrg1/114246>