

78 kDa glucose-regulated Recombinant Protein | GRP78 recombinant protein

Recombinant Human 78 kDa glucose-regulated protein

CATALOG # AAA116149	HOST E Coli
-------------------------------	-----------------------


PRODUCT SYNONYMS

78 kDa glucose-regulated; Recombinant Human 78 kDa glucose-regulated protein; Endoplasmic reticulum lumenal Ca(2+)-binding protein grp78; Heat shock 70 kDa protein 5; Immunoglobulin heavy chain-binding protein; BiP; GRP78 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	25-293aa; Partial
Sequence	EDVGTVVGID LGTTYSCVGV FKNGRVEIIA NDQGNRITPS YVAFTPAGER LIGDAAKNQL TSNPENTVFD AKRLIGRTWN DPSVQQDIKF LPFKVVEKKT KPYIQVDIGG GQTKTFAPEE ISAMVLTKMK ETAEAYLGKK VTHAVVTVA YFNDAQRQAT KDAGTIAGLN VMRIINEPTA AAIAYGLDKR EGEKNILVFD LGGGTFDVSL LTIDNGVFEV VATNGDTHLG GEDFDQVRME HFIKLYKKKT GKDVRKDNRA VQKLRREVE
Sequence Length	654
Production Note	Special Offer: The E Coli host-expressed protein is manufactured from a stock plasmid containing the protein gene. E Coli host-expressed protein is stocked in different unit sizes ranging from as small as 10 ug to as large as 1 mg. Bulk inventory is also available. The E Coli host-expressed protein has been ordered over and over again by researchers and has stood the test of time as both a robust protein and important target for the research community. It is part of our new program to make our most popular protein targets and corresponding hosts available in expanded unit sizes and with a quick processing time. Select E Coli host-expressed protein for the fastest delivery among all hosts. Please contact our or email to for more details.
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for GRP78 recombinant protein	Probably plays a role in facilitating the assembly of multimeric protein complexes inside the endoplasmic reticulum. Involved in the correct folding of proteins and degradation of misfolded proteins via its interaction with DNAJC10, probably to facilitate the release of DNAJC10 from its substrate.
References	Human gene encoding the 78,000-dalton glucose-regulated protein and its pseudogene structure, conservation, and regulation.Ting J., Lee A.S.DNA 7:275-286(1988) Chao C.C.K. Grp78 is involved in the quality control of the LDL-receptor.Hansen J.J., Nielsen M.N., Jorgensen M.M., Gregersen N., Bolund L. Sequence differences between human grp78/BiP isolated from HeLa cells and previously reported human sequences.Bermudez-Fajardo A., Llewellyn D.H., Campbell A.K., Errington R.R.NIEHS SNPs programDNA sequence and analysis of human chromosome 9.Humphray S.J., Oliver K., Hunt A.R., Plumb R.W., Loveland J.E., Howe K.L., Andrews T.D., Searle S., Hunt S.E., Scott C.E., Jones M.C., Ainscough R., Almeida J.P., Ambrose K.D., Ashwell R.I.S., Babbage A.K., Babbage S., Bagguley C.L., Bailey J., Banerjee R., Barker D.J., Barlow K.F., Bates K., Beasley H., Beasley O., Bird C.P., Bray-Allen S., Brown A.J., Brown J.Y., Burford D., Burrill W., Burton J., Carder C., Carter N.P., Chapman J.C., Chen Y., Clarke G., Clark S.Y., Clee C.M., Clegg S., Collier R.E., Corby N., Crosier M., Cummings A.T., Davies J., Dhami P., Dunn M., Dutta I., Dyer L.W., Earthrowl M.E., Faulkner L., Fleming C.J., Frankish A., Frankland J.A., French L., Fricker D.G., Garner P., Garnett J., Ghori J., Gilbert J.G.R., Glison C., Grafham D.V., Gribble S., Griffiths C., Griffiths-Jones S., Grocock R., Guy J., Hall R.E., Hammond S., Harley J.L., Harrison E.S.I., Hart E.A., Heath P.D., Henderson C.D., Hopkins B.L., Howard P.J., Howden P.J., Huckle E., Johnson C., Johnson D., Joy A.A., Kay M., Keenan S., Kershaw J.K., Kimberley A.M., King A., Knights A., Laird G.K., Langford C., Lawlor S., Leongamornlert D.A., Leversha M., Lloyd C., Lloyd D.M., Lovell J., Martin S., Mashreghi-Mohammadi M., Matthews L., McLaren S., McLay K.E., McMurray A., Milne S., Nickerson T., Nisbett J., Nordsiek G., Pearce A.V., Peck A.I., Porter K.M., Pandian R., Pelan S., Phillimore B., Povey S., Ramsey Y., Rand V., Scharfe M., Sehra H.K., Shownkeen R., Sims S.K., Skuce C.D., Smith M., Steward C.A., Swarbreck D., Sycamore N., Tester J., Thorpe A., Tracey A., Tromans A., Thomas D.W., Wall M., Wallis J.M., West A.P., Whitehead S.L., Willey D.L., Williams S.A., Wilming L., Wray P.W., Young L., Ashurst J.L., Coulson A., Blocker H., Durbin R.M., Sulston J.E., Hubbard T., Jackson M.J., Bentley D.R., Beck S., Rogers J., Dunham I.Nature 429:369-374(2004)

NCBI AND UNIPROT INFORMATION

NCBI GI #	16507237
NCBI GeneID	3309
NCBI Accession #	NP_005338.1
NCBI GenBank Nucleotide #	NM_005347.4
UniProt Accession #	P11021 ; Q2EF78 ; Q9NPF1 ; Q9UK02 ; B0QZ61
Molecular Weight	33.6 kDa
NCBI Official Full Name	78 kDa glucose-regulated protein
NCBI Official Synonym Full Names	heat shock protein family A (Hsp70) member 5
NCBI Official Symbol	HSPA5
NCBI Official Synonym Symbols	BIP; MIF2; GRP78; HEL-S-89n
NCBI Protein Information	78 kDa glucose-regulated protein
UniProt Protein Name	78 kDa glucose-regulated protein
UniProt Gene Name	HSPA5
UniProt Synonym Gene Names	GRP78; GRP-78; BiP
UniProt Entry Name	GRP78_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.