

Mouse CD41 Monoclonal Antibody | anti-CD41 antibody

MOUSE ANTI HUMAN CD41:Preservative Free


CATALOG # AAA11846	HOST Mouse	APPLICATIONS Flow Cytometry, Functional Assay
------------------------------	----------------------	---

PRODUCT SYNONYMS


CD41; Monoclonal Antibody; MOUSE ANTI HUMAN CD41:Preservative Free; anti-CD41 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Clone Number	PM6/248
Form/Format	Preservative Free Purified IgG - liquid
Concentration	IgG concentration 1.0 mg/ml (varies by lot)
Sequence Length	1039
Applicable Applications for anti-CD41 antibody	FCM/FACS (Flow Cytometry)
Application Notes	Flow Cytometry: Use 10ul of the suggested working dilution to label 100ul human whole blood. Flow Cytometry: Minimum Dilution: 1/100; Maximum Dilution: 1/200
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Immunogen	Human platelet plasma membrane Fusion Partners
Target Species	Human
Preparation and Storage	Store at -20 degree C only. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Shelf Life: 18 months from date of despatch.



Application Data
Staining of human peripheral blood platelets with Mouse anti Human CD41:FITC



Application Data
Staining of human peripheral blood platelets with Mouse anti Human CD41:Alexa Fluor 647



Application Data
Staining of human peripheral blood platelets with Mouse anti Human CD41:RPE

ADDITIONAL INFORMATION

Related Product Information for anti-CD41 antibody	Mouse anti Human CD41 antibody, clone PM6/248 recognizes the human CD41 cell surface antigen, a 140kD glycoprotein expressed by platelets and megakaryocytes. CD41 is also known as platelet glycoprotein IIb, and functions as a receptor for fibrinogen, fibronectin and vWF. It has not been established if clone PM6/248 recognizes free CD41 or CD41 only when complexed with CD61. However, antibody binding is reduced in the presence of EDTA suggesting that the epitope recognized is dependent upon an intact CD41/61 complex.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	88758615
NCBI GeneID	3674
NCBI Accession #	NP_000410.2
NCBI GenBank Nucleotide #	NM_000419.3
UniProt Accession #	P08514; O95366; Q14443; Q17R67; B2RCY8
Molecular Weight	103,218 Da
NCBI Official Full Name	integrin alpha-IIb preproprotein
NCBI Official Synonym Full Names	integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41)
NCBI Official Symbol	ITGA2B
NCBI Official Synonym Symbols	GT; GTA; CD41; GP2B; HPA3; CD41B; GPIIb; BDPLT2; BDPLT16; PPP1R93

NCBI Protein Information	integrin alpha-IIb; GPalpha IIb; platelet fibrinogen receptor, alpha subunit; platelet membrane glycoprotein IIb; platelet-specific antigen BAK; protein phosphatase 1, regulatory subunit 93
UniProt Protein Name	Integrin alpha-IIb
UniProt Gene Name	ITGA2B
UniProt Synonym Gene Names	GP2B; ITGAB; GPIIb
UniProt Entry Name	ITA2B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd41-antibody-clone-pm6-248-flow-cytometry-elisa/11846>