

Rabbit anti-Human Integrin beta-3 Polyclonal Antibody | anti-ITGB3 antibody

Rabbit anti-human Integrin beta-3 polyclonal Antibody(ITGB3)

CATALOG # AAA118855	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

Integrin beta-3; Polyclonal Antibody; Rabbit anti-human Integrin beta-3 polyclonal Antibody(ITGB3); Platelet membrane glycoprotein IIIa; GPIIIa; CD61; ITGB3; GP3A; anti-ITGB3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Sequence Length	788
Applicable Applications for anti-ITGB3 antibody	IHC (Immunohistochemistry), ELISA
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Conjugate	Non-conjugated
Immunogen	Recombinant human Integrin beta-3 protein(609-788aa)
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-6627 / sc-6626 / sc-14009
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human placenta using AAA118855 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human testicle using AAA118855 at dilution 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-ITGB3 antibody	Integrin alpha-V/beta-3 is a receptor for cytotactin, fibronectin, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin, vitronectin and von Willebrand factor. Integrin alpha-IIb/beta-3 is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. Integrins alpha-IIb/beta-3 and alpha-V/beta-3 recognize the sequence R-G-D in a wide array of ligands. Integrin alpha-IIb/beta-3 recognizes the sequence H-H-L-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin alpha-IIb/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial surface. Fibrinogen binding enhances SELP expression in activated platelets (By similarity). In case of HIV-1 infection, the interaction with extracellular viral Tat protein seems to enhance angiogenesis in Kaposi's sarcoma lesions.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	47078292
NCBI GeneID	3690
NCBI Accession #	NP_000203.2
NCBI GenBank Nucleotide #	NM_000212.2
UniProt Accession #	P05106; O15495; Q12806; Q13413; Q14648; Q16499; A0PJW2; D3DXJ8
Molecular Weight	86,694 Da
NCBI Official Full Name	integrin beta-3
NCBI Official Synonym Full Names	integrin subunit beta 3
NCBI Official Symbol	ITGB3
NCBI Official Synonym Symbols	GT; CD61; GP3A; BDPLT2; GPIIIa; BDPLT16
NCBI Protein Information	integrin beta-3
UniProt Protein Name	Integrin beta-3
UniProt Gene Name	ITGB3
UniProt Synonym Gene Names	GP3A; GPIIIa
UniProt Entry Name	ITB3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/integrin-beta-3-antibody-immunohistochemistry-elisa/118855>