

Rabbit anti-Human TOPBP1 Polyclonal Antibody | anti-TOPBP1 antibody

TOPBP1 Antibody

CATALOG # AAA119892	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

TOPBP1; Polyclonal Antibody; TOPBP1 Antibody; Long transient receptor potential channel 6; LTrpC-6; LTrpC6; Transient receptor potential p8; Trp-p8; TRPM8; LTRPC6; TRPP8; anti-TOPBP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Sequence Length	1104
Applicable Applications for anti-TOPBP1 antibody	IHC (Immunohistochemistry), ELISA
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Conjugate	Non-conjugated
Immunogen	Recombinant human Transient receptor potential cation channel subfamily M member 8 protein (981-1104aa)
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-169688 / sc-169689 / sc-130903
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human placenta tissue using AAA119892 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human lung cancer using AAA119892 at dilution 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-TOPBP1 antibody	Receptor-activated non-selective cation channel involved in detection of sensations such as coolness, by being activated by cold temperature below 25 degrees Celsius. Activated by icilin, eucalyptol, menthol, cold and modulation of intracellular pH. Involved in menthol sensation. Permeable for monovalent cations sodium, potassium, and cesium and divalent cation calcium. Temperature sensing is tightly linked to voltage-dependent gating. Activated upon depolarization, changes in temperature resulting in graded shifts of its voltage-dependent activation curves. The chemical agonist menthol functions as a gating modifier, shifting activation curves towards physiological membrane potentials. Temperature sensitivity arises from a tenfold difference in the activation energies associated with voltage-dependent opening and closing. In prostate cancer cells, shows strong inward rectification and high calcium selectivity in contrast to its behavior in normal cells which is characterized by outward rectification and poor cationic selectivity. Plays a role in prostate cancer cell migration (PubMed:25559186). Isoform 2 and isoform 3 negatively regulate menthol- and cold-induced channel activity by stabilizing the closed state of the channel.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	109689695
NCBI GeneID	79054
NCBI Accession #	NP_076985.4
NCBI GenBank Nucleotide #	NM_024080.4
UniProt Accession #	Q7Z2W7; Q3YFM7; Q6QNH9; Q8TAC3; Q8TDX8; Q9BVK1; A0AVG2
Molecular Weight	79,096 Da
NCBI Official Full Name	transient receptor potential cation channel subfamily M member 8
NCBI Official Synonym Full Names	transient receptor potential cation channel subfamily M member 8
NCBI Official Symbol	TRPM8
NCBI Official Synonym Symbols	TRPP8; LTRPC6
NCBI Protein Information	transient receptor potential cation channel subfamily M member 8
UniProt Protein Name	Transient receptor potential cation channel subfamily M member 8
UniProt Gene Name	TRPM8
UniProt Synonym Gene Names	LTRPC6; TRPP8; LTrpC-6; LTrpC6; Trp-p8
UniProt Entry Name	TRPM8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/topbp1-antibody-immunohistochemistry-elisa/119892>