

Rabbit Permeability Glycoprotein, P-GP ELISA Kit | P-GP elisa kit

Rabbit Permeability Glycoprotein, P-GP ELISA Kit

CATALOG #
AAA123074

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Permeability Glycoprotein; P-GP; Rabbit Permeability Glycoprotein; P-GP ELISA Kit; P-GP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Samples	Serum, Plasma, Cell Culture Supernates, Cell Lysates, Tissue Homogenates
Assay Type	Quantitative Sandwich
Detection Range	0.05ng/ml-10ng/ml
Sensitivity	0.016ng/ml
Intra-assay Precision	Intra-Assay Precision (Precision within an assay) Three samples of known concentration were tested on one plate to assess intra-assay precision. Intra-Assay: CV<8%
Inter-assay Precision	Inter-Assay Precision (Precision between assays) Three samples of known concentration were tested in separate assays to assess inter-assay precision. CV(%) = SD/mean x 100. Inter-Assay: CV<10%
Preparation and Storage	Store at 2 to 8 degree C for 6 months.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for P-GP elisa kit	Intended Uses: This sandwich kit is for the accurate quantitative detection of Rabbit Nitric Oxide Synthase 3, Endothelial (also known as NOS3/ENOS) in serum, plasma, cell culture supernates, cell lysates, tissue homogenates. Principle of the Assay: This kit is an Enzyme-Linked Immunosorbent Assay (ELISA). The plate has been pre-coated with Rabbit NOS3/ENOS antibody. NOS3/ENOS present in the sample is added and binds to antibodies coated on the wells. And then biotinylated Rabbit NOS3/ENOS Antibody is added and binds to NOS3/ENOS in the sample. Then Streptavidin-HRP is added and binds to the Biotinylated NOS3/ENOS antibody. After incubation unbound Streptavidin-HRP is washed away during a washing step. Substrate solution is then added and color develops in proportion to the amount of Rabbit NOS3/ENOS. The reaction is terminated by addition of acidic stop solution and absorbance is measured at 450 nm.
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rabbit-elisa-kits/permeability-glycoprotein-p-gp/123074>