

Rabbit Vascuoar Endothelial Cell Growth Factor Receptor 3, VEGFR-3/Flt-4 ELISA Kit | VEGFR-3 elisa kit

Rabbit Vascuoar Endothelial Cell Growth Factor Receptor 3, VEGFR-3/Flt-4 ELISA Kit

CATALOG #
AAA123215

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Vascuoar Endothelial Cell Growth Factor Receptor 3; VEGFR-3/Flt-4; Rabbit Vascuoar Endothelial Cell Growth Factor Receptor 3; VEGFR-3/Flt-4 ELISA Kit; VEGFR-3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Samples	Serum, plasma, cell culture supernates, cell lysates, tissue homogenates
Assay Type	Quantitative Sandwich
Detection Range	0.05ng/ml - 15ng/ml
Sensitivity	0.015ng/ml
Intra-assay Precision	Intra-Assay Precision (Precision within an assay) Three samples of known concentration were tested on one plate to assess intra-assay precision. Intra-Assay: CV<8%
Inter-assay Precision	Inter-Assay Precision (Precision between assays) Three samples of known concentration were tested in separate assays to assess inter-assay precision. CV(%) = SD/mean x 100. Inter-Assay: CV<10%
Preparation and Storage	Store at 2 to 8 degree C for 6 months.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for VEGFR-3 elisa kit	Intended Uses: This sandwich kit is for the accurate quantitative detection of Rabbit Vascuoar Endothelial Cell Growth Factor Receptor 3 (also known as VEGFR-3/Flt-4) in serum, plasma, cell culture supernates, cell lysates, tissue homogenates. Principle of the Assay: This kit is an Enzyme-Linked Immunosorbent Assay (ELISA). The plate has been pre-coated with Rabbit VEGFR-3/Flt-4 antibody. VEGFR-3/Flt-4 present in the sample is added and binds to antibodies coated on the wells. And then biotinylated Rabbit VEGFR-3/Flt-4 Antibody is added and binds to VEGFR-3/Flt-4 in the sample. Then Streptavidin-HRP is added and binds to the Biotinylated VEGFR-3/Flt-4 antibody. After incubation unbound Streptavidin-HRP is washed away during a washing step. Substrate solution is then added and color develops in proportion to the amount of Rabbit VEGFR-3/Flt-4. The reaction is terminated by addition of acidic stop solution and absorbance is measured at 450 nm.
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rabbit-elisa-kits/vascuoar-endothelial-cell-growth-factor-receptor-3-vegfr-3-flt-4/123215>