

CXCL14/Brak elisa kit

Monkey primate CXCL14/Brak PicoKine ELISA Kit

CATALOG # AAA124842	REACTIVITY Monkey There is no detectable cross-reactivity with other relevant proteins.	APPLICATIONS ELISA
-------------------------------	---	------------------------------


PRODUCT SYNONYMS

CXCL14/Brak; Monkey primate CXCL14/Brak PicoKine ELISA Kit; C-X-C motif chemokine 14; Chemokine BRAK; MIP-2G; Small-inducible cytokine B14; CXCL14; MIP2G; NJAC; SCYB14; PSEC0212; UNQ240/PRO273; CXCL14/Brak elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Monkey There is no detectable cross-reactivity with other relevant proteins.
Specificity	Natural and recombinant 215 Monkey primate CXCL14/Brak
Sequence Length	111
Assay Type	Quantitative Sandwich
Detection Range	62.5pg/ml-4000pg/ml
Sensitivity	<10pg/ml
Applicable Applications for CXCL14/Brak elisa kit	ELISA
Intra-assay Precision	Intra-Assay Precision (Precision within an assay) Three samples of known concentration were tested on one plate to assess intra-assay precision
Inter-assay Precision	Inter-Assay Precision (Precision between assays) Three samples of known concentration were tested in separate assays to assess inter-assay precision.
Preparation and Storage	Store at 4 degree C for 6 months, at -20 degree C for 12 months. Avoid multiple freeze-thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CXCL14/Brak elisa kit	<p>Principle of the Assay: 215 Monkey primate CXCL14/Brak ELISA Kit was based on standard sandwich enzyme-linked immune-sorbent assay technology. A monoclonal antibody from mouse specific for Monkey primate CXCL14/Brak has been precoated onto 96-well plates. Standards(Expression system for standard: E.coli; Immunogen sequence: S35-E111) and test samples are added to the wells, a biotinylated detection polyclonal antibody from goat specific for Monkey primate CXCL14/Brak is added subsequently and then followed by washing with PBS or TBS buffer. Avidin-Biotin-Peroxidase Complex was added and unbound conjugates were washed away with PBS or TBS buffer. HRP substrate TMB was used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the 215 Monkey primate CXCL14/Brak amount of sample captured in plate.</p> <p>Background: Chemokine(C-X-C motif) ligand 14(CXCL14) is a small cytokine belonging to the CXC chemokine family that is also known as BRAK(for breast and kidney-expressed chemokine). This gene is mapped to 5q31.1. CXCL14 is constitutively expressed at high levels in many normal tissues, it has been found that fibroblasts are the primary source of CXCL14 and that CXCL14 is involved in the homeostasis of monocyte-derived macrophages rather than in inflammation. It is also a potent chemoattractant and activator of dendritic cells, is implicated in homing of these cells, and can stimulate the migration of activated NK cells. CXCL14 also inhibits angiogenesis, possibly as a result of its ability to block endothelial cell chemotaxis. In addition to it, CXCL14 is a potent chemokine for immature DCs, with a chemoattractive activity comparable to bacterial fMLP and MIP1A.</p>
Product Categories/Family for CXCL14/Brak elisa kit	Immunology; Innate Immunity; Chemokines; Alpha Chemokines (CXC); Cancer; Oncoproteins/Suppressors; Tumor Suppressors

NCBI AND UNIPROT INFORMATION

NCBI GI #	20149565
NCBI GeneID	9547
NCBI Accession #	NP_004878.2
NCBI GenBank Nucleotide #	NM_004887.4
UniProt Accession #	O95715; Q6UW97; Q86U69; Q9BTR1; Q9NS21; B3KQU8
Molecular Weight	13078 MW
NCBI Official Full Name	C-X-C motif chemokine 14
NCBI Official Synonym Full Names	C-X-C motif chemokine ligand 14
NCBI Official Symbol	CXCL14
NCBI Official Synonym Symbols	KEC; KS1; BMAC; BRAK; NJAC; MIP2G; MIP-2g; SCYB14
NCBI Protein Information	C-X-C motif chemokine 14
UniProt Protein Name	C-X-C motif chemokine 14
UniProt Gene Name	CXCL14
UniProt Synonym Gene Names	MIP2G; NJAC; SCYB14

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monkey-elisa-kits/cxcl14-brak/124842>