

TIM-3/HAVCR2 elisa kit

Mouse TIM-3/HAVCR2 PicoKine ELISA Kit

CATALOG # AAA124881	REACTIVITY Mouse There is no detectable cross-reactivity with other relevant proteins.	APPLICATIONS ELISA
-------------------------------	--	------------------------------


PRODUCT SYNONYMS

TIM-3/HAVCR2; Mouse TIM-3/HAVCR2 PicoKine ELISA Kit; Hepatitis A virus cellular receptor 2 homolog; HAVcr-2; T-cell immunoglobulin and mucin domain-containing protein 3; TIMD-3; T-cell immunoglobulin mucin receptor 3; TIM-3; T-cell membrane protein 3; Havcr2; Tim3; Timd3; TIM-3/HAVCR2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse There is no detectable cross-reactivity with other relevant proteins.
Specificity	Natural and recombinant Mouse TIM-3/HAVCR2
Sequence Length	197
Assay Type	Quantitative Sandwich
Detection Range	31.2pg/ml-2000pg/ml
Sensitivity	<10pg/ml
Applicable Applications for TIM-3/HAVCR2 elisa kit	ELISA
Intra-assay Precision	Intra-Assay Precision (Precision within an assay) Three samples of known concentration were tested on one plate to assess intra-assay precision
Inter-assay Precision	Inter-Assay Precision (Precision between assays) Three samples of known concentration were tested in separate assays to assess inter-assay precision.
Preparation and Storage	Store at 4 degree C for 6 months, at -20 degree C for 12 months. Avoid multiple freeze-thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TIM-3/HAVCR2 elisa kit	Principle of the Assay: Mouse TIM-3/HAVCR2 ELISA Kit was based on standard sandwich enzyme-linked immune-sorbent assay technology. A monoclonal antibody from rat specific for TIM-3/HAVCR2 has been precoated onto 96-well plates. Standards(Expression system for standard: NSO, Immunogen sequence: R20-A193) and test samples are added to the wells, a biotinylated detection biotinylated polyclonal antibody from goat specific for TIM-3/HAVCR2 is added subsequently and then followed by washing with PBS or TBS buffer. Avidin-Biotin-Peroxidase Complex was added and unbound conjugates were washed away with PBS or TBS buffer. HRP substrate TMB was used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Mouse TIM-3/HAVCR2 amount of sample captured in plate. Background: Hepatitis A virus cellular receptor 2 (HAVCR2), also known as T-cell immunoglobulin and mucin-domain containing-3 (TIM-3), is a protein that in mice is encoded by the HAVCR2 gene. The protein encoded by this gene belongs to the immunoglobulin superfamily, and TIM family of proteins. CD4-positive T helper lymphocytes can be divided into types 1 (Th1) and 2 (Th2) on the basis of their cytokine secretion patterns. Th1 cells are involved in cell-mediated immunity to intracellular pathogens and delayed-type hypersensitivity reactions, whereas, Th2 cells are involved in the control of extracellular helminthic infections and the promotion of atopic and allergic diseases. This protein is a Th1-specific cell surface protein that regulates macrophage activation, and inhibits Th1-mediated auto- and alloimmune responses, and promotes immunological tolerance.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	160333699
NCBI GeneID	171285
NCBI Accession #	NP_599011.2
NCBI GenBank Nucleotide #	NM_134250.2
UniProt Accession #	Q8VIM0
Molecular Weight	22,087 Da
NCBI Official Full Name	hepatitis A virus cellular receptor 2 homolog
NCBI Official Synonym Full Names	hepatitis A virus cellular receptor 2
NCBI Official Symbol	Havcr2
NCBI Official Synonym Symbols	Tim3; TIM-3; Timd3
NCBI Protein Information	hepatitis A virus cellular receptor 2 homolog
UniProt Protein Name	Hepatitis A virus cellular receptor 2 homolog
UniProt Gene Name	Havcr2
UniProt Synonym Gene Names	Tim3; Timd3; HAVcr-2; TIMD-3; TIM-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.