

IL-12 elisa kit

Rat IL-12(P70) PicoKine ELISA Kit

CATALOG # AAA124884	REACTIVITY Rat There is no detectable cross-reactivity with other relevant proteins.	APPLICATIONS ELISA
-------------------------------	---	------------------------------


PRODUCT SYNONYMS

IL-12; Rat IL-12(P70) PicoKine ELISA Kit; Interleukin-12 subunit alpha; IL-12A; Cytotoxic lymphocyte maturation factor 35 kDa subunit; CLMF p35; IL-12 subunit p35; IL12a; IL-12 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat There is no detectable cross-reactivity with other relevant proteins.
Specificity	Natural and recombinant Rat IL-12(P70)
Sequence Length	215
Assay Type	Quantitative Sandwich
Detection Range	15.6pg/ml-1000pg/ml
Sensitivity	<1.5pg/ml
Applicable Applications for IL-12 elisa kit	ELISA
Intra-assay Precision	Intra-Assay Precision (Precision within an assay) Three samples of known concentration were tested on one plate to assess intra-assay precision
Inter-assay Precision	Inter-Assay Precision (Precision between assays) Three samples of known concentration were tested in separate assays to assess inter-assay precision.
Preparation and Storage	Store at 4 degree C for 6 months, at -20 degree C for 12 months. Avoid multiple freeze-thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL-12 elisa kit	Principle of the Assay: Rat IL-12(P70) ELISA Kit was based on standard sandwich enzyme-linked immune-sorbent assay technology. A monoclonal antibody from mouse specific for IL-12(P70) has been precoated onto 96-well plates. Standards(Expression system for standard: sf21, Immunogen sequence: (M23-S335)+(R23-S215)) and test samples are added to the wells, a biotinylated detection biotinylated polyclonal antibody from goat specific for IL-12(P70) is added subsequently and then followed by washing with PBS or TBS buffer. Avidin-Biotin-Peroxidase Complex was added and unbound conjugates were washed away with PBS or TBS buffer. HRP substrate TMB was used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Rat IL-12(P70) amount of sample captured in plate. Background: Interleukin (IL)-12 is a 70-KDa cytokine comprised of two disulfide-linked proteins (p35 and p40) and is essential for the initiation of effective immune response. And the IL-12p70 is a heterodimer of p35 and p40 subunits; it is an important cytokine secreted by antigen-presenting cells in response to antigenic stimulation. Gene expression analysis of the IL-12 cytokine family subunits revealed that both strains induced high levels of p40 (protein chain communal to IL-12 p70 and IL-23) as well as p19, a subunit of IL-23. Conversely only ACT- 18HS19 infection induced consistent transcription of IL-12 p35, a subunit of IL-12 p70. The standard product used in this kit is recombinant rat IL-12 p70 comprising of a 193 amino acids p35 chain and a 313 amino acids p40 chain connected by a disulfide bond.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	16758120
NCBI GeneID	84405
NCBI Accession #	NP_445842.1
NCBI GenBank Nucleotide #	NM_053390.1
UniProt Accession #	Q9R103
Molecular Weight	24,246 Da
NCBI Official Full Name	interleukin-12 subunit alpha
NCBI Official Synonym Full Names	interleukin 12A
NCBI Official Symbol	IL12a
NCBI Protein Information	interleukin-12 subunit alpha
UniProt Protein Name	Interleukin-12 subunit alpha
UniProt Gene Name	IL12a
UniProt Synonym Gene Names	IL-12A; CLMF p35

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/il-12/124884>