

Rabbit ACSS2 Polyclonal Antibody | anti-ACSS2 antibody

Anti-ACSS2 Antibody Picoband



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA126260	Rabbit	Human, Mouse, Rat	Western Blot, Flow Cytometry, Functional Assay, ELISA

PRODUCT SYNONYMS

ACSS2; Polyclonal Antibody; Anti-ACSS2 Antibody Picoband; anti-ACSS2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity/Purification	Immunogen affinity purified.
Form/Format	Lyophilized Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ .
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml. (varies by lot)
Applicable Applications for anti-ACSS2 antibody	WB (Western Blot), FCM/FACS (Flow Cytometry), ELISA
Reconstitution	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Immunogen	E Coli-derived human ACSS2 recombinant protein (Position: E201-A651).
Preparation and Storage	Store at -20 degree C for one year from date of receipt. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for six months. Avoid repeated freezing and thawing.



WB (Western Blot)

Figure 1. Western blot analysis of ACSS2 using anti-ACSS2 antibody (AAA126260). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel)/90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human HepG2 whole cell lysates, Lane 2: human Hela whole cell lysates, Lane 3: human U-87MG whole cell lysates, Lane 4: human MCF-7 whole cell lysates, Lane 5: rat liver tissue lysates, Lane 6: rat C6 whole cell lysates, Lane 7: mouse liver tissue lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-ACSS2 antigen affinity purified polyclonal antibody (#AAA126260) at 0.25 ug/mL overnight at 4 degree C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for ACSS2 at approximately 79 kDa. The expected band size for ACSS2 is at 79 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-ACSS2 antibody	Acyl-coenzyme A synthetase short-chain family member 2 is an enzyme that in humans is encoded by the ACSS2 gene. This gene encodes a cytosolic enzyme that catalyzes the activation of acetate for use in lipid synthesis and energy generation. The protein acts as a monomer and produces acetyl-CoA from acetate in a reaction that requires ATP. Expression of this gene is regulated by sterol regulatory element-binding proteins, transcription factors that activate genes required for the synthesis of cholesterol and unsaturated fatty acids. Alternative splicing results in multiple transcript variants.
Product Categories/Family for anti-ACSS2 antibody	Primary Antibodies, Rabbit Polyclonal Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	253970489
NCBI GeneID	55902
NCBI Accession #	NP_001070020.2
NCBI GenBank Nucleotide #	NM_001076552.2
UniProt Accession #	Q9NR19; Q5QPH2; Q5QPH3; Q8N238; Q96EL0; Q9NQP7; Q9UJ15; A6NE90
Molecular Weight	78,580 Da
NCBI Official Full Name	acetyl-coenzyme A synthetase, cytoplasmic isoform 2
NCBI Official Synonym Full Names	acyl-CoA synthetase short-chain family member 2
NCBI Official Symbol	ACSS2
NCBI Official Synonym Symbols	ACS; ACSA; ACAS2; ACECS; dJ1161H23.1
NCBI Protein Information	acetyl-coenzyme A synthetase, cytoplasmic; acetate thiokinase; acetate-CoA ligase; acyl-activating enzyme; cytoplasmic acetyl-coenzyme A synthetase; acetyl-Coenzyme A synthetase 2 (ADP forming)
UniProt Protein Name	Acetyl-coenzyme A synthetase, cytoplasmic

UniProt Gene Name	ACSS2
UniProt Synonym Gene Names	ACAS2; ACS; AceCS
UniProt Entry Name	ACSA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/acss2-antibody-western-blot-flow-cytometry-elisa/126260>