

Rabbit anti-Mouse, Rat ENO3 Polyclonal Antibody | anti-ENO3 antibody

Anti-ENO3 Antibody Picoband

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA126473	Rabbit	Mouse, Rat	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ENO3; Polyclonal Antibody; Anti-ENO3 Antibody Picoband; anti-ENO3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Mouse, Rat
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity/Purification	Immunogen affinity purified.
Form/Format	Lyophilized Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ .
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml. (varies by lot)
Applicable Applications for anti-ENO3 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Reconstitution	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Immunogen	A synthetic peptide corresponding to a sequence of human ENO3 (NTLGALLQKKLSVVDQEK).
Preparation and Storage	Store at -20 degree C for one year from date of receipt. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for six months. Avoid repeated freezing and thawing.

IMAGES



IHC (Immunohistochemistry)

Figure 2. IHC analysis of ENO3 using anti-ENO3 antibody (AAA126473). ENO3 was detected in a paraffin-embedded section of mouse skeletal muscle tissue. Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution). The tissue section was blocked with 10% goat serum. The tissue section was then incubated with 2 ug/ml rabbit anti-ENO3 Antibody (AAA126473) overnight at 4 degree C. Biotinylated goat anti-rabbit IgG was used as secondary antibody and incubated for 30 minutes at 37 degree C. The tissue section was developed using Streptavidin-Biotin-Complex (SABC) with DAB as the chromogen.



WB (Western Blot)

Figure 1. Western blot analysis of ENO3 using anti-ENO3 antibody (AAA126473). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel)/90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: rat heart tissue lysates, Lane 2: rat skeletal muscle tissue lysates, Lane 3: mouse heart tissue lysates, Lane 4: mouse skeletal tissue lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-ENO3 antigen affinity purified polyclonal antibody (#AAA126473) at 0.5 ug/mL overnight at 4 degree C, then washed with TBS-0.1% Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for ENO3 at approximately 50 kDa. The expected band size for ENO3 is at 50 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-ENO3 antibody	Enolase 3 (ENO3), more commonly known as beta-enolase (ENO-beta), is an enzyme that in humans is encoded by the ENO3 gene. This gene encodes one of the three enolase isoenzymes found in mammals. This isoenzyme is found in skeletal muscle cells in the adult where it may play a role in muscle development and regeneration. A switch from alpha enolase to beta enolase occurs in muscle tissue during development in rodents. Mutations in this gene have be associated glycogen storage disease. Alternatively spliced transcript variants encoding different isoforms have been described.
Product Categories/Family for anti-ENO3 antibody	Primary Antibodies, Rabbit Polyclonal Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	425906077
NCBI GeneID	2027
UniProt Accession #	P13929; Q96AE2; B4DUI6; B4DUM6; D3DTL2; E7ENK8
Molecular Weight	434
NCBI Official Full Name	Beta-enolase
NCBI Official Synonym Full Names	enolase 3 (beta, muscle)
NCBI Official Symbol	ENO3
NCBI Official Synonym Symbols	MSE; GSD13
NCBI Protein Information	beta-enolase; muscle-specific enolase; skeletal muscle enolase; 2-phospho-D-glycerate hydrolyase
UniProt Protein Name	Beta-enolase
UniProt Gene Name	ENO3
UniProt Synonym Gene Names	MSE
UniProt Entry Name	ENOB_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/en03-antibody-immunohistochemistry-western-blot-elisa/126473>