

Rabbit anti-Human, Mouse CYP1B1 Polyclonal Antibody | anti-CYP1B1 antibody

Anti-CYP1B1 Antibody Picoband


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA126995	Rabbit	Human, Mouse	ELISA, Flow Cytometry, Functional Assay, Western Blot

PRODUCT SYNONYMS


CYP1B1; Polyclonal Antibody; Anti-CYP1B1 Antibody Picoband; Serine/threonine-protein kinase AtPK1/AtPK6; 70 kDa ribosomal protein S6 kinase 1 antibody; KS6B1_HUMAN antibody; p70 alpha antibody; P70 beta 1 antibody; p70 ribosomal S6 kinase alpha antibody; p70 ribosomal S6 kinase beta 1 antibody; p70 S6 kinase alpha antibody; P70 S6 Kinase antibody; p70 S6 kinase alpha 1 antibody; p70 S6 kinase alpha 2 antibody; p70 S6K antibody; p70 S6K-alpha antibody; p70 S6KA antibody; p70(S6K) alpha antibody; p70(S6K)-alpha antibody; p70-alpha antibody; p70-S6K 1 antibody; p70-S6K antibody; P70S6K antibody; P70S6K1 antibody; p70S6Kb antibody; PS6K antibody; Ribosomal protein S6 kinase 70kDa polypeptide 1 antibody; Ribosomal protein S6 kinase beta 1 antibody; Ribosomal protein S6 kinase beta-1 antibody; Ribosomal protein S6 kinase I antibody; RPS6KB1 antibody; S6K antibody; S6K-beta-1 antibody; S6K1 antibody; Serine/threonine kinase 14 alpha antibody; Serine/threonine-protein kinase 14A antibody; STK14A antibody; anti-CYP1B1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Specificity	Expressed in all tissues.
Purity/Purification	Immunogen affinity purified.
Form/Format	Lyophilized. Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.
Applicable Applications for anti-CYP1B1 antibody	ELISA, FCM/FACS (Flow Cytometry), WB (Western Blot)
Immunogen	E coli-derived human CYP1B1 recombinant protein (Position: R255-E540). Human CYP1B1 shares 82.9% amino acid (aa) sequence identity with mouse and rat CYP1B1.
Subcellular Localization	Cytoplasm, Nucleus
Reconstitution	Adding 0.2 ml of distilled water will yield a concentration of 500ug/ml.
Cross Reactivity	No cross reactivity with other proteins.
Protein Function	Downstream effector of TOR signaling pathway involved in osmotic stress response. Could be involved in the control of plant growth and development. Phosphorylates the ribosomal proteins P14, P16 and S6. Functions as a repressor of cell proliferation and required for maintenance of chromosome stability and ploidy levels through the RBR1-E2F pathway.
Preparation and Storage	At -20 degree C for one year from date of receipt. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for six months.Avoid repeated freezing and thawing.



FCM/FACS (Flow Cytometry)
Figure 2. Flow Cytometry analysis of THP-1 cells using anti-CYP1B1 antibody (AAA126995). Overlay histogram showing THP-1 cells stained with AAA126995 (Blue line). To facilitate intracellular staining, cells were fixed with 4% paraformaldehyde and permeabilized with permeabilization buffer. The cells were blocked with 10% normal goat serum. And then incubated with rabbit anti-CYP1B1 Antibody (AAA126995, 1ug/1x106 cells) for 30 min at 20 degree C. DyLight488 conjugated goat anti-rabbit IgG was used as secondary antibody for 30 minutes at 20 degree C. Isotype control antibody (Green line) was rabbit IgG (1ug/1x106) used under the same conditions. Unlabelled sample (Red line) was also used as a control.



WB (Western Blot)
Figure 1. Western blot analysis of CYP1B1 using anti-CYP1B1 antibody (AAA126995). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel)/90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human MCF-7 whole cell lysates, Lane 2: mouse Neuro-2a whole cell lysates, Lane 3: mouse NIH/3T3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-CYP1B1 antigen affinity purified polyclonal antibody (#AAA126995) at 0.5ug/mL overnight at 4 degree C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for CYP1B1 at approximately 52 kDa. The expected band size for CYP1B1 is at 61 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-CYP1B1 antibody	The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Product Categories/Family for anti-CYP1B1 antibody	Primary Antibodies; Signal Transduction; Signaling Pathway; Small G Proteins
References	1. "Entrez Gene: cytochrome P450". 2. Bailey LR, Roodi N, Dupont WD, Parl FF (1998). "Association of cytochrome P450 1B1 (CYP1B1) polymorphism with steroid receptor status in breast cancer.". Cancer Res. 58 (22): 5038-41. 3. Michels-Rautenstrauss KG, Mardin CY, Zenker M et al. (2002). "Primary congenital glaucoma: three case reports on novel mutations and combinations of mutations in the GLC3A (CYP1B1) gene.". J. Glaucoma 10 (4): 354-7.

NCBI AND UNIPROT INFORMATION

NCBI GI #	189491763
NCBI GeneID	1545
NCBI Accession #	NP_000095.2
NCBI GenBank Nucleotide #	NM_000104.3
UniProt Accession #	Q16678; Q5TZW8; Q93089; Q9H316
Molecular Weight	60,846 Da
NCBI Official Full Name	cytochrome P450 1B1
NCBI Official Synonym Full Names	cytochrome P450, family 1, subfamily B, polypeptide 1
NCBI Official Symbol	CYP1B1
NCBI Official Synonym Symbols	CP1B; GLC3A; CYPIB1; P4501B1

NCBI Protein Information	cytochrome P450 1B1; microsomal monooxygenase; xenobiotic monooxygenase; aryl hydrocarbon hydroxylase; flavoprotein-linked monooxygenase; cytochrome P450, subfamily I (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile)
UniProt Protein Name	Cytochrome P450 1B1
UniProt Gene Name	CYP1B1
UniProt Entry Name	CP1B1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cyp1b1-antibody-flow-cytometry-western-blot-elisa/126995>