

Rabbit GJA4 Polyclonal Antibody | anti-GJA4 antibody

Anti-GJA4 Antibody Picoband


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA127310	Rabbit	Human, Mouse, Rat	Flow Cytometry, Functional Assay, Western Blot, ELISA

PRODUCT SYNONYMS


GJA4; Polyclonal Antibody; Anti-GJA4 Antibody Picoband; Serine/threonine-protein kinase AtPK1/AtPK6; 70 kDa ribosomal protein S6 kinase 1 antibody; KS6B1_HUMAN antibody; p70 alpha antibody; P70 beta 1 antibody; p70 ribosomal S6 kinase alpha antibody; p70 ribosomal S6 kinase beta 1 antibody; p70 S6 kinase alpha antibody; P70 S6 Kinase antibody; p70 S6 kinase alpha 1 antibody; p70 S6 kinase alpha 2 antibody; p70 S6K antibody; p70 S6K-alpha antibody; p70 S6KA antibody; p70(S6K) alpha antibody; p70(S6K)-alpha antibody; p70-alpha antibody; p70-S6K 1 antibody; p70-S6K antibody; P70S6K antibody; P70S6K1 antibody; p70S6Kb antibody; PS6K antibody; Ribosomal protein S6 kinase 70kDa polypeptide 1 antibody; Ribosomal protein S6 kinase beta 1 antibody; Ribosomal protein S6 kinase beta-1 antibody; Ribosomal protein S6 kinase I antibody; RPS6KB1 antibody; S6K antibody; S6K-beta-1 antibody; S6K1 antibody; Serine/threonine kinase 14 alpha antibody; Serine/threonine-protein kinase 14A antibody; STK14A antibody; anti-GJA4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	Expressed in all tissues.
Purity/Purification	Immunogen affinity purified.
Form/Format	Lyophilized. Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.
Applicable Applications for anti-GJA4 antibody	FCM/FACS (Flow Cytometry), WB (Western Blot), ELISA
Immunogen	E coli-derived human GJA4 recombinant protein (Position: H95-R148). Human GJA4 shares 90.7% and 92.6% amino acid (aa) sequence identity with mouse and rat GJA4, respectively.
Subcellular Localization	Cytoplasm, Nucleus
Reconstitution	Adding 0.2 ml of distilled water will yield a concentration of 500ug/ml.
Cross Reactivity	No cross reactivity with other proteins.
Protein Function	Downstream effector of TOR signaling pathway involved in osmotic stress response. Could be involved in the control of plant growth and development. Phosphorylates the ribosomal proteins P14, P16 and S6. Functions as a repressor of cell proliferation and required for maintenance of chromosome stability and ploidy levels through the RBR1-E2F pathway.
Preparation and Storage	At -20 degree C for one year from date of receipt. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for six months.Avoid repeated freezing and thawing.



FCM/FACS (Flow Cytometry)
Figure 2. Flow Cytometry analysis of K562 cells using anti-GJA4 antibody (AAA127310).Overlay histogram showing K562 cells stained with AAA127310 (Blue line). The cells were fixed with 4% paraformaldehyde and blocked with 10% normal goat serum. And then incubated with rabbit anti-GJA4 Antibody (AAA127310, 1ug/1x106 cells) for 30 min at 20 degree C. DyLight488 conjugated goat anti-rabbit IgG was used as secondary antibody for 30 minutes at 20 degree C. Isotype control antibody (Green line) was rabbit IgG (1ug/1x106) used under the same conditions. Unlabelled sample (Red line) was also used as a control.



WB (Western Blot)
Figure 1. Western blot analysis of GJA4 using anti-GJA4 antibody (AAA127310).Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel)/90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions.Lane 1: human U2OS whole cell lysates,Lane 2: human K562 whole cell lysates,Lane 3: human Hela whole cell lysates,Lane 4: rat brain tissue lysates,Lane 5: mouse brain tissue lysates.After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-GJA4 antigen affinity purified polyclonal antibody (#AAA127310) at 0.5ug/mL overnight at 4 degree C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for GJA4 at approximately 37 kDa. The expected band size for GJA4 is at 37 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-GJA4 antibody	The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Product Categories/Family for anti-GJA4 antibody	Primary Antibodies; Signal Transduction; Signaling Pathway; Small G Proteins
References	1. Boerma, M., Forsberg, L., Van Zeijl, L., Morgenstern, R., De Faire, U., Lemne, C., Erlinge, D., Thulin, T., Hong, Y., Cotgreave, I. A. A genetic polymorphism in connexin 37 as a prognostic marker for atherosclerotic plaque development. J. Intern. Med. 246: 211-218, 19992. Haefliger, J.-A., Bruzzone, R., Jenkins, N. A., Gilbert, D. J., Copeland, N. G., Paul, D. L. Four novel members of the connexin family of gap junction proteins: molecular cloning, expression, and chromosome mapping. J. Biol. Chem. 267: 2057-2064, 1992. 3. Peters, R. J. G., Boekholdt, S. M. Gene polymorphisms and the risk of myocardial infarction--an emerging relation. (Editorial) New Eng. J. Med. 347: 1963-1965, 2002.

NCBI AND UNIPROT INFORMATION

NCBI GI #	62865885
NCBI GeneID	2701
NCBI Accession #	NP_002051.2
NCBI GenBank Nucleotide #	NM_002060.2
UniProt Accession #	P35212; Q9P106; Q9UBL1; Q9UNA9; Q9UNB0; Q9UNB1; Q9Y5N7; A8K698; D3DPR4
Molecular Weight	37,414 Da
NCBI Official Full Name	gap junction alpha-4 protein
NCBI Official Synonym Full Names	gap junction protein, alpha 4, 37kDa

NCBI Official Symbol	GJA4
NCBI Official Synonym Symbols	CX37
NCBI Protein Information	gap junction alpha-4 protein; connexin 37; connexin-37
UniProt Protein Name	Gap junction alpha-4 protein
UniProt Gene Name	GJA4
UniProt Synonym Gene Names	Cx37
UniProt Entry Name	CXA4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/gja4-antibody-flow-cytometry-western-blot-elisa/127310>