

Mouse anti-Human, Pig HLA-DR/DP Antibody | anti-HLA-DR/DP antibody

Anti-HLA-DR/DP Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA128593	Mouse	Human, Pig	Immunohistochemistry, Immunoprecipitation, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

HLA-DR/DP; Anti-HLA-DR/DP Purified; anti-HLA-DR/DP antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human, Pig
Isotype	IgG2a
Clone Number	HL-40
Specificity	The antibody HL-40 reacts with an extracellular common epitope on beta-chain of human HLA-DR and HLA-DP. DR and DP are the isotypes of human MHC Class II molecules expressed on antigen-presenting cells (APC; dendritic cells, B lymphocytes, monocytes, macrophages).
Purity/Purification	Purified by Protein-A Affinity Chromatography
Form/Format	Phosphate buffered saline (PBS) solution with 15 mM sodium azide
Concentration	1 mg/ml (varies by lot)
Applicable Applications for anti-HLA-DR/DP antibody	IHC (Immunohistochemistry), IP (Immunoprecipitation), FCM/FACS (Flow Cytometry)
Immunogen	Raji Burkitt's lymphoma cell line
Preparation and Storage	Store at 2-8 degree C.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry staining of human small intestine (paraffin-embedded sections) with anti-HLA-DR+DP (HL-40). Commercially tested by LifeSpan BioSciences.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.