

Mouse anti-Human CD172ab Monoclonal Antibody | anti-CD172ab antibody

Anti-Hu CD172ab PE

CATALOG # AAA128954	HOST Mouse	REACTIVITY Human	APPLICATIONS Flow Cytometry, Functional Assay
-------------------------------	----------------------	----------------------------	---

PRODUCT SYNONYMS

CD172ab; Monoclonal Antibody; Anti-Hu CD172ab PE; PTPNS1; BIT; MFR; SIRPA; SHPS1; SIRPB1; ; anti-CD172ab antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Clone Number	SE5A5
Specificity	The mouse monoclonal antibody SE5A5 recognizes a common extracellular epitope on human CD172a and CD172b antigens (approx. 90 kDa and approx. 50 kDa, respectively), although its reactivity with CD172a is higher.
Purity/Purification	The purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. The conjugate is purified by size-exclusion chromatography.
Form/Format	Stabilizing phosphate buffered saline (PBS) solution containing 15 mM sodium azide
Applicable Applications for anti-CD172ab antibody	FCM/FACS (Flow Cytometry)
Immunogen	NIH-3T3 / human CD172a cell line
Conjugation	PE
Preparation and Storage	Store in the dark at 2-8 degree C. Do not freeze. Avoid prolonged exposure to light.

ADDITIONAL INFORMATION

Related Product Information for anti-CD172ab antibody	CD172a, the signal-regulatory protein alpha (SIRP alpha), also known as SH2 domain-containing phosphatase substrate-1 (SHPS1), is a 75-110 kDa transmembrane glycoprotein expressed mainly on granulocytes, monocytes, macrophages, dendritic cells and neurons. Its extracellular ligand is CD47. CD172a serves as a substrate of activated receptor tyrosine kinases and upon phosphorylation it recruits SH2 domain-containing tyrosine phosphatases, thereby regulating signal transduction processes related to cell activation, transmigration and phagocytosis. CD172a is a specific marker of cardiomyocytes derived from human pluripotent stem cells and serves as a negative regulator of signaling and growth in myeloid progenitor cells. Extracellular part of CD172b is 90% identical to that of CD172a, but unlike CD172, it has dramatically reduced intracellular domain.
---	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd172ab-antibody-clone-se5a5-flow-cytometry-elisa/128954>