

CDH17 recombinant protein

Human CDH17 (30-128) Protein, hFc Tag

CATALOG #
AAA129498

HOST
HEK293


PRODUCT SYNONYMS

CDH17; Human CDH17 (30-128) Protein; hFc Tag; HPT-1; HPT1; Recombinant human CDH17 (30-128) Protein with C-terminal human Fc tag; CDH17 recombinant protein

PRODUCT SPECIFICATIONS


Host	HEK293
Purity/Purification	The purity of the protein is greater than 90% as determined by SDS-PAGE and Coomassie blue staining.
Form/Format	Lyophilized from sterile PBS, pH 7.4. Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Sequence	CDH17(Pro3 0-Gln128)h Fc(Glu99-A la330)
Tag	C-Human Fc
Preparation and Storage	Store at -20 degree C to -80 degree C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80 degree C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

IMAGES




ELISA

Figure 3. ELISA plate pre-coated by 2 ug/mL (100 uL/well) Human CDH17(30-128) Protein, hFc Tag (AAA129498) can bind Anti-CDH17(ARB102 biosimilar) mAb in a linear range of 3.20–400 ng/mL.



ELISA

Figure 2. ELISA plate pre-coated by 2 ug/mL (100 uL/well) Human CDH17(30-128) Protein, hFc Tag (AAA129498) can bind Anti-CDH17 antibody, IgG1 Chimeric mAb in a linear range of 0.13–16 ng/mL.



SDS-PAGE

Figure 1. Human CDH17(30-128) Protein, hFc Tag on SDS-PAGE under reducing condition.

ADDITIONAL INFORMATION

Related Product Information for CDH17 recombinant protein	This gene is a member of the cadherin superfamily, genes encoding calcium-dependent, membrane-associated glycoproteins. The encoded protein is cadherin-like, consisting of an extracellular region, containing 7 cadherin domains, and a transmembrane region but lacking the conserved cytoplasmic domain. The protein is a component of the gastrointestinal tract and pancreatic ducts, acting as an intestinal proton-dependent peptide transporter in the first step in oral absorption of many medically important peptide-based drugs. The protein may also play a role in the morphological organization of liver and intestine. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2009]
Product Categories/Family for CDH17 recombinant protein	ECD Proteins

NCBI AND UNIPROT INFORMATION

NCBI GI #	221316595
NCBI GeneID	1015
NCBI Accession #	NP_001138135.1
NCBI GenBank Nucleotide #	NM_001144663.1
UniProt Accession #	Q12864 ; Q15336 ; Q2M2E0
Molecular Weight	92,219 Da
NCBI Official Full Name	cadherin-17
NCBI Official Synonym Full Names	cadherin 17, LI cadherin (liver-intestine)
NCBI Official Symbol	CDH17
NCBI Official Synonym Symbols	HPT1; CDH16; HPT-1
NCBI Protein Information	cadherin-17; LI cadherin; LI-cadherin; cadherin-16; HPT-1 cadherin; liver-intestine cadherin; human peptide transporter 1; intestinal peptide-associated transporter HPT-1; human intestinal peptide-associated transporter HPT-1
UniProt Protein Name	Cadherin-17
UniProt Gene Name	CDH17
UniProt Synonym Gene Names	LI-cadherin
UniProt Entry Name	CAD17_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/cdh17-recombinant-protein-hek293/129498>