

Rat Fibroblast Growth Factor 4 (FGF4) CLIA Kit | FGF4 clia kit

Rat Fibroblast Growth Factor 4 (FGF4) CLIA Kit

CATALOG #
AAA129911

REACTIVITY
Rat


PRODUCT SYNONYMS

Fibroblast Growth Factor 4 (FGF4); Rat Fibroblast Growth Factor 4 (FGF4) CLIA Kit; HBGF4; HST; HSTF1; KFGF; K-FGF; Heparin Secretory Transforming Protein 1; Kaposi Sarcoma Oncogene; Transforming Protein KS3; FGF-Related Oncogene; FGF4 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Fibroblast Growth Factor 4 (FGF4). No significant cross-reactivity or interference between Fibroblast Growth Factor 4 (FGF4) and analogues was observed.
Sequence Length	802
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and other biological fluids
Detection Range	1.37-1,000pg/mL
Sensitivity	0.59pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Fibroblast Growth Factor 4 (FGF4) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Fibroblast Growth Factor 4 (FGF4) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FGF4 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Fibroblast Growth Factor 4 (FGF4). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Fibroblast Growth Factor 4 (FGF4). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Fibroblast Growth Factor 4 (FGF4) level in the sample or standard.;
Product Categories/Family for FGF4 clia kit	Cytokine; Tumor immunity; Infection immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	2832350
NCBI GeneID	2264
UniProt Accession #	P22455; O43785; Q14309; Q71TW8; Q8TDA0; Q96KE5; G3JVM2; G3JVM5; G3JVM7; G3JVM9; AAB25788
Molecular Weight	64,640 Da
NCBI Official Full Name	fibroblast growth factor 4
NCBI Official Synonym Full Names	fibroblast growth factor receptor 4
NCBI Official Symbol	FGFR4
NCBI Official Synonym Symbols	TKF; JTK2; CD334
NCBI Protein Information	fibroblast growth factor receptor 4
UniProt Protein Name	Fibroblast growth factor receptor 4
UniProt Gene Name	FGFR4
UniProt Synonym Gene Names	JTK2; TKF; FGFR-4
UniProt Entry Name	FGFR4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.