

Human Coagulation Factor X (F10) CLIA Kit | F10 clia kit

Human Coagulation Factor X (F10) CLIA Kit

CATALOG #
AAA130074

REACTIVITY
Human


PRODUCT SYNONYMS

Coagulation Factor X (F10); Human Coagulation Factor X (F10) CLIA Kit; FX; FXA; Stuart Prower Factor; Thrombokinase; F10 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Coagulation Factor X (F10). No significant cross-reactivity or interference between Coagulation Factor X (F10) and analogues was observed.
Sequence Length	488
Assay Type	Double-antibody Sandwich
Samples	Plasma
Detection Range	8.23-6,000pg/mL
Sensitivity	3.05pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Coagulation Factor X (F10) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Coagulation Factor X (F10) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for F10 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Coagulation Factor X (F10). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Coagulation Factor X (F10). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Coagulation Factor X (F10) level in the sample or standard.;
Product Categories/Family for F10 clia kit	Signal transduction ; Hematology

NCBI AND UNIPROT INFORMATION

NCBI GI #	182390
NCBI GeneID	2159
UniProt Accession #	P00742 ; Q14340
Molecular Weight	54,732 Da
NCBI Official Full Name	coagulation factor X
NCBI Official Synonym Full Names	coagulation factor X
NCBI Official Symbol	F10
NCBI Official Synonym Symbols	FX; FXA
NCBI Protein Information	coagulation factor X
UniProt Protein Name	Coagulation factor X
UniProt Gene Name	F10
UniProt Entry Name	FA10_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/coagulation-factor-x-f10/130074>