

Human Adiponectin (ADP) CLIA Kit | ADP clia kit

Human Adiponectin (ADP) CLIA Kit

CATALOG #
AAA130160

REACTIVITY
Human


PRODUCT SYNONYMS

Adiponectin (ADP); Human Adiponectin (ADP) CLIA Kit; GBP28; ApM1; AdipoQ; Acrp30; ACDC; APM1; C1Q And Collagen Domain Containing; Adipocyte Complement-Related Protein Of 30 KDa; Adipose Most Abundant Gene Transcript 1; ADP clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Adiponectin (ADP). No significant cross-reactivity or interference between Adiponectin (ADP) and analogues was observed.
Sequence Length	244
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	13.7-10,000pg/mL
Sensitivity	5.1pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Adiponectin (ADP) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Adiponectin (ADP) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ADP clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Adiponectin (ADP). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Adiponectin (ADP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Adiponectin (ADP) level in the sample or standard.;
Product Categories/Family for ADP clia kit	Metabolic pathway; Infection immunity; Cardiovascular biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	4757760
NCBI GeneID	9370
NCBI Accession #	NP_004788.1
NCBI GenBank Nucleotide #	NM_004797.3
UniProt Accession #	Q15848; Q58EX9
Molecular Weight	26,414 Da
NCBI Official Full Name	adiponectin
NCBI Official Synonym Full Names	adiponectin, C1Q and collagen domain containing
NCBI Official Symbol	ADIPOQ
NCBI Official Synonym Symbols	ACDC; ADPN; APM1; APM-1; GBP28; ACRP30; ADIPQTL1
NCBI Protein Information	adiponectin
UniProt Protein Name	Adiponectin
UniProt Gene Name	ADIPOQ
UniProt Synonym Gene Names	ACDC; ACRP30; APM1; GBP28; ACRP30; apM-1
UniProt Entry Name	ADIPO_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/adiponectin-adp/130160>