

Bovine Fibroblast Growth Factor 9 (FGF9) CLIA Kit | FGF9 clia kit

Bovine Fibroblast Growth Factor 9 (FGF9) CLIA Kit

CATALOG #
AAA130182

REACTIVITY
Bovine


PRODUCT SYNONYMS

Fibroblast Growth Factor 9 (FGF9); Bovine Fibroblast Growth Factor 9 (FGF9) CLIA Kit; GAF; HBFG9; Glia-Activating Factor; Heparin-Binding Growth Factor 9; FGF9 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Bovine
Specificity	This assay has high sensitivity and excellent specificity for detection of Fibroblast Growth Factor 9 (FGF9). No significant cross-reactivity or interference between Fibroblast Growth Factor 9 (FGF9) and analogues was observed.
Sequence Length	208
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and other biological fluids
Detection Range	5.49-4,000pg/mL
Sensitivity	2.61pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Fibroblast Growth Factor 9 (FGF9) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Fibroblast Growth Factor 9 (FGF9) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FGF9 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Fibroblast Growth Factor 9 (FGF9). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Fibroblast Growth Factor 9 (FGF9). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Fibroblast Growth Factor 9 (FGF9) level in the sample or standard.;
Product Categories/Family for FGF9 clia kit	Cytokine; Tumor immunity; Infection immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503707
NCBI GeneID	2254
NCBI Accession #	NP_002001.1
NCBI GenBank Nucleotide #	NM_002010.2
UniProt Accession #	P31371; Q3SY32; A8K427
Molecular Weight	23,441 Da
NCBI Official Full Name	fibroblast growth factor 9
NCBI Official Synonym Full Names	fibroblast growth factor 9
NCBI Official Symbol	FGF9
NCBI Official Synonym Symbols	GAF; FGF-9; SYNS3; HBFG-9; HBGF-9
NCBI Protein Information	fibroblast growth factor 9
UniProt Protein Name	Fibroblast growth factor 9
UniProt Gene Name	FGF9
UniProt Synonym Gene Names	FGF-9; GAF; HBGF-9
UniProt Entry Name	FGF9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.