

Mouse Bone Morphogenetic Protein 10 (BMP10) CLIA Kit | BMP10 clia kit

Mouse Bone Morphogenetic Protein 10 (BMP10) CLIA Kit

CATALOG #
AAA130183

REACTIVITY
Mouse


PRODUCT SYNONYMS

Bone Morphogenetic Protein 10 (BMP10); Mouse Bone Morphogenetic Protein 10 (BMP10) CLIA Kit; BMP10 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Bone Morphogenetic Protein 10 (BMP10). No significant cross-reactivity or interference between Bone Morphogenetic Protein 10 (BMP10) and analogues was observed.
Sequence Length	424
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	13.7-10,000pg/mL
Sensitivity	5.6pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Bone Morphogenetic Protein 10 (BMP10) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Bone Morphogenetic Protein 10 (BMP10) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for BMP10 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Bone Morphogenetic Protein 10 (BMP10). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Bone Morphogenetic Protein 10 (BMP10). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Bone Morphogenetic Protein 10 (BMP10) level in the sample or standard.;
Product Categories/Family for BMP10 clia kit	Cardiovascular biology ; Developmental science ; Bone metabolism

NCBI AND UNIPROT INFORMATION

NCBI GI #	7656928
NCBI GeneID	27302
NCBI Accession #	NP_055297.1
NCBI GenBank Nucleotide #	NM_014482.1
UniProt Accession #	O95393; Q53R17; Q6NTE0
Molecular Weight	48,047 Da
NCBI Official Full Name	bone morphogenetic protein 10 preproprotein
NCBI Official Synonym Full Names	bone morphogenetic protein 10
NCBI Official Symbol	BMP10
NCBI Protein Information	bone morphogenetic protein 10
UniProt Protein Name	Bone morphogenetic protein 10
UniProt Gene Name	BMP10
UniProt Synonym Gene Names	BMP-10
UniProt Entry Name	BMP10_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-clia-kits/bone-morphogenetic-protein-10-bmp10/130183>