

Interferon Induced Transmembrane Protein 2 (IFITM2) CLIA Kit | IFITM2 clia kit

CLIA Kit for Interferon Induced Transmembrane Protein 2 (IFITM2)

CATALOG #
AAA130201


PRODUCT SYNONYMS

Interferon Induced Transmembrane Protein 2 (IFITM2); CLIA Kit for Interferon Induced Transmembrane Protein 2 (IFITM2); IFITM2 clia kit

PRODUCT SPECIFICATIONS

Specificity	This assay has high sensitivity and excellent specificity for detection of Interferon Induced Transmembrane Protein 2 (IFITM2) No significant cross-reactivity or interference between Interferon Induced Transmembrane Protein 2 (IFITM2) and analogues was observed.
Sequence Length	132
Assay Type	Sandwich
Samples	Tissue homogenates and other biological fluids
Detection Range	0.014-10ng/mL The standard curve concentrations used for the ELISA's were 10ng/mL, 3.33ng/mL, 1.11ng/mL, 0.37ng/mL, 0.123ng/mL, 0.041ng/mL, 0.014ng/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 0.059ng/mL
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Interferon Induced Transmembrane Protein 2 (IFITM2) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Interferon Induced Transmembrane Protein 2 (IFITM2) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Organism Species	Homo sapiens (Human)
Assay Length	4.5 hours
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IFITM2 clia kit	The microtiter plate provided in this kit has been pre-coated with an antigen. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated secondary antibody. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Interferon Induced Transmembrane Protein 2 (IFITM2) level in the sample or standard.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	151101191
NCBI GeneID	10581
NCBI Accession #	NP_006426.2
NCBI GenBank Nucleotide #	NM_006435.2
UniProt Accession #	Q01629; Q6FH82; Q96DA8
Molecular Weight	14,632 Da
NCBI Official Full Name	interferon-induced transmembrane protein 2
NCBI Official Synonym Full Names	interferon induced transmembrane protein 2
NCBI Official Symbol	IFITM2
NCBI Official Synonym Symbols	1-8D; DSPA2c
NCBI Protein Information	interferon-induced transmembrane protein 2; dispanin subfamily A member 2c; interferon-inducible protein 1-8D
UniProt Protein Name	Interferon-induced transmembrane protein 2
UniProt Gene Name	IFITM2
UniProt Synonym Gene Names	DSPA2c
UniProt Entry Name	IFM2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/clia-kits/interferon-induced-transmembrane-protein-2-ifitm2/130201>