

Human Nitric Oxide Synthase 1, Neuronal (NOS1) CLIA Kit | NOS1 clia kit

Human Nitric Oxide Synthase 1, Neuronal (NOS1) CLIA Kit

CATALOG #
AAA130213

REACTIVITY
Human


PRODUCT SYNONYMS

Nitric Oxide Synthase 1; Neuronal (NOS1); Human Nitric Oxide Synthase 1; Neuronal (NOS1) CLIA Kit; NOS; nNOS; IHPS1; NC-NOS; N-NOS; bNOS; Neuronal NOS; Constitutive NOS; NOS type I; Nitric Oxide Synthase; Peptidyl-cysteine S-nitrosylase NOS1; NOS1 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Nitric Oxide Synthase 1, Neuronal (NOS1). No significant cross-reactivity or interference between Nitric Oxide Synthase 1, Neuronal (NOS1) and analogues was observed.
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	13.7-10,000pg/mL
Sensitivity	6.3pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Nitric Oxide Synthase 1, Neuronal (NOS1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Nitric Oxide Synthase 1, Neuronal (NOS1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NOS1 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Nitric Oxide Synthase 1, Neuronal (NOS1). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Nitric Oxide Synthase 1, Neuronal (NOS1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Nitric Oxide Synthase 1, Neuronal (NOS1) level in the sample or standard.;
Product Categories/Family for NOS1 clia kit	Signal transduction ; Enzyme & Kinase ; Metabolic pathway ; Neuroscience

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-clia-kits/nitric-oxide-synthase-1-neuronal-nos1/130213>