

Cytoskeleton Associated Protein 4 (CKAP4) CLIA Kit | CKAP4 clia kit

CLIA Kit for Cytoskeleton Associated Protein 4 (CKAP4)

CATALOG #
AAA130291


PRODUCT SYNONYMS

Cytoskeleton Associated Protein 4 (CKAP4); CLIA Kit for Cytoskeleton Associated Protein 4 (CKAP4); CKAP4 clia kit

PRODUCT SPECIFICATIONS

Specificity	This assay has high sensitivity and excellent specificity for detection of Cytoskeleton Associated Protein 4 (CKAP4). No significant cross-reactivity or interference between Cytoskeleton Associated Protein 4 (CKAP4) and analogues was observed.
Sequence Length	602
Assay Type	Sandwich
Samples	Tissue homogenates and other biological fluids
Detection Range	0.014-10ng/mL. The standard curve concentrations used for the ELISA's were 10ng/mL, 3.33ng/mL, 1.11ng/mL, 0.37ng/mL, 0.123ng/mL, 0.041ng/mL, 0.014ng/mL.
Sensitivity	The minimum detectable dose of this kit is typically less than 0.058ng/mL.
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Cytoskeleton Associated Protein 4 (CKAP4) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Cytoskeleton Associated Protein 4 (CKAP4) were tested on 3 different plates, 8 replicates in each plate. $CV(\%) = SD/mean \times 100$ Intra-Assay: $CV < 10\%$ Inter-Assay: $CV < 12\%$
Organism Species	Mus musculus (Mouse)
Assay Length	4.5 hours
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CKAP4 clia kit	The microtiter plate provided in this kit has been pre-coated with an antigen. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated secondary antibody. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Cytoskeleton Associated Protein 4 (CKAP4) level in the sample or standard.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	19920317
NCBI GeneID	10970
NCBI Accession #	NP_006816.2
NCBI GenBank Nucleotide #	NM_006825.3
UniProt Accession #	Q07065; Q504S5; Q53ES6
Molecular Weight	66,022 Da
NCBI Official Full Name	cytoskeleton-associated protein 4
NCBI Official Synonym Full Names	cytoskeleton-associated protein 4
NCBI Official Symbol	CKAP4
NCBI Official Synonym Symbols	p63; CLIMP-63; ERGIC-63
NCBI Protein Information	cytoskeleton-associated protein 4; 63 kDa membrane protein; type-II transmembrane protein p63; 63-kDa cytoskeleton-linking membrane protein; transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment
UniProt Protein Name	Cytoskeleton-associated protein 4
UniProt Gene Name	CKAP4
UniProt Synonym Gene Names	Climp-63; p63
UniProt Entry Name	CKAP4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/clia-kits/cytoskeleton-associated-protein-4-ckap4/130291>