

Human Pim-2 Oncogene (PIM2) CLIA Kit | PIM2 clia kit

Human Pim-2 Oncogene (PIM2) CLIA Kit

CATALOG #
AAA130469

REACTIVITY
Human


PRODUCT SYNONYMS

Pim-2 Oncogene (PIM2); Human Pim-2 Oncogene (PIM2) CLIA Kit; Serine/threonine-protein kinase pim-2; PIM2 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Pim-2 Oncogene (PIM2). No significant cross-reactivity or interference between Pim-2 Oncogene (PIM2) and analogues was observed.
Sequence Length	311
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	54.9-40,000pg/mL
Sensitivity	26.2pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Pim-2 Oncogene (PIM2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Pim-2 Oncogene (PIM2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PIM2 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Pim-2 Oncogene (PIM2). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Pim-2 Oncogene (PIM2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Pim-2 Oncogene (PIM2) level in the sample or standard.;
Product Categories/Family for PIM2 clia kit	Tumor immunity

NCBI AND UNIPROT INFORMATION

NCBI GI #	17390245
NCBI GeneID	11040
UniProt Accession #	Q9P1W9; Q99739; A8K4G6
Molecular Weight	34,190 Da
NCBI Official Full Name	Pim-2 oncogene
NCBI Official Synonym Full Names	Pim-2 proto-oncogene, serine/threonine kinase
NCBI Official Symbol	PIM2
NCBI Protein Information	serine/threonine-protein kinase pim-2
UniProt Protein Name	Serine/threonine-protein kinase pim-2
UniProt Gene Name	PIM2
UniProt Entry Name	PIM2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.