

Mouse Abnormal prothrombin (APT) / Des-gamma-carboxy prothrombin (DCP) ELISA Kit | APT/DCP elisa kit

Mouse Abnormal prothrombin (APT) / Des-gamma-carboxy prothrombin (DCP) ELISA Kit

CATALOG #
AAA13085

REACTIVITY
Mouse


PRODUCT SYNONYMS

Abnormal prothrombin (APT) / Des-gamma-carboxy prothrombin (DCP); Mouse Abnormal prothrombin (APT) / Des-gamma-carboxy prothrombin (DCP) ELISA Kit; Mouse Abnormal prothrombin (APT) / Des-g-carboxy prothrombin (DCP) ELISA Kit; APT/DCP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	No cross-reaction with other factors.
Sequence Length	680
Samples	Serum, plasma or cell culture supernatant
Assay Type	Quantitative Sandwich
Detection Range	10 ng/ml-0.156 ng/ml
Sensitivity	Up to 0.05 ng/ml.
Intra-assay Precision	<= 8%
Inter-assay Precision	<= 12%
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for APT/DCP elisa kit

Principle of the Assay: This experiment use double-sandwich elisa technique and the ELISA Kit provided is typical. The pre-coated antibody is Mouse APT/DCP monoclonal antibody and the detecting antibody is polyclonal antibody with biotin labeled. Samples and biotin labeling antibody are added into ELISA plate wells and washed out with PBS or TBS. Then Avidin-peroxidase conjugates are added to ELISA wells in order; Use TMB substrate for coloring after reactant thoroughly washed out by PBS or TBS. TMB turns into blue in peroxidase catalytic and finally turns into yellow under the action of acid. The color depth and the testing factors in samples are positively correlated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	291617514
NCBI Accession #	YP_003520256.1
NCBI GenBank Nucleotide #	NC_013956.2
Molecular Weight	76,671 Da
NCBI Official Full Name	Dcp
UniProt Protein Name	Dcp
UniProt Gene Name	dcp
UniProt Synonym Gene Names	PANA_1961
UniProt Entry Name	D4GF06_PANAM

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/apt-dcp-mouse-elisa-kits/abnormal-prothrombin-apt-des-gamma-carboxy-prothrombin-dcp/13085>