

Rabbit Tumor Necrosis Factor Related Apoptosis Inducing Ligand (TRAIL) Polyclonal Antibody | anti-TRAIL antibody

Polyclonal Antibody to Tumor Necrosis Factor Related Apoptosis Inducing Ligand (TRAIL)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131040	Rabbit	Rat, Human, Mouse	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Tumor Necrosis Factor Related Apoptosis Inducing Ligand (TRAIL); Polyclonal Antibody; Polyclonal Antibody to Tumor Necrosis Factor Related Apoptosis Inducing Ligand (TRAIL); anti-TRAIL antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Rat, Human, Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against TRAIL. It has been selected for its ability to recognize TRAIL in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% Na ₂ S ₂ O ₃ , 50% glycerol.
Concentration	0.45mg/ml (varies by lot)
Sequence	Antigen: The target protein is fused with a C-terminal tag, His-tag and its sequence is listed below. MSPI LGYWKIKGLV QPTRLLLEYL EEKYEEHLYE RDEGDKWRNK KFELGLEFPN LPYYIDGDVK LTQSMIIRY IADKHNLGG CPKERAISM LEGAVLDIRY GVSRIAYSKD FETLKVDFLS KLPEMLKMF EDRCHKTYLN GDHVTHPDFM LYDALDVVLY MDPMLCLDAFP KLVCFKKRIE AIPQIDKYLK SSXYIAWPLQ GWQATFGGGD HPPKSDGSTS GSGHHHHHHS AGLVPRGSTA IGMKETAALK FERQHMDSPD LGTLEVLFGG PLGSEF-PPL PRGRRPQRVA AHITGITRRS NLALIPISKD GKTGQKIET WESSRRGHSF LNHVHLRNGE LVIQEEGLYY IYSQTYRFRK EAKEASKTVS KDGGRIQMV QYIYKYTSYP DPILLMKSAR NSCWSREA EY GLYSIQGGL FELKENDRIF VSVTNEHLMD LDHEASFFGA
Applicable Applications for anti-TRAIL antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant TRAIL (Pro115~Ala287) expressed in E.coli.
Cross Reactivity	Human, Rat
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Ovary Tissue




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Stomach Tissue



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Rat Kidney Tissue.



WB (Western Blot)
Western Blot: Sample: Recombinant TRAIL, Rat.



WB (Western Blot)
Western Blot: Sample: Human MCF7 Cells.

NCBI AND UNIPROT INFORMATION

NCBI GI #	21728412
NCBI GeneID	246775
NCBI Accession #	NP_663714.1
NCBI GenBank Nucleotide #	NM_145681.1
NCBI Official Full Name	tumor necrosis factor ligand superfamily member 10
NCBI Official Synonym Full Names	TNF superfamily member 10

NCBI Official Symbol	Tnfsf10
NCBI Official Synonym Symbols	Trail; Tnlg6a
NCBI Protein Information	tumor necrosis factor ligand superfamily member 10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tumor-necrosis-factor-related-apoptosis-inducing-ligand-trail-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/131040>