

Rabbit anti-Mouse Leukemia Inhibitory Factor Receptor (LIFR) Polyclonal Antibody | anti-LIFR antibody

Polyclonal Antibody to Leukemia Inhibitory Factor Receptor (LIFR)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131163	Rabbit	Mouse	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Leukemia Inhibitory Factor Receptor (LIFR); Polyclonal Antibody; Polyclonal Antibody to Leukemia Inhibitory Factor Receptor (LIFR); anti-LIFR antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against LIFR. It has been selected for its ability to recognize LIFR in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with N-terminal His-Tag and its sequence is listed below. MG HHHHHHSGSE F-TWRHDPNM TCDYVIKWCN SSRSEPCLLD WRKVPSNSTE TVIESDQFQP GVRYNFYLYG CTNQGYQLLR SIIGYVEELA PIVAPNFTVE DTSADSILVK WDDIPVEELR GFLRGYLFYF QKGERDTPKT RSLEPHHSDI KLKNITDISQ KT
Sequence Length	1097
Applicable Applications for anti-LIFR antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant LIFR (Thr641~Thr790) expressed in E.coli.
Cross Reactivity	Mouse
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Kidney Tissue



IHC (Immunohistochemisry)
DAB staining on formalin fixed paraffin- embedded kidney tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.



WB (Western Blot)
Western Blot: Sample: Mouse Serum; Primary Ab: 1ug/ml Rabbit Anti-Mouse LIFR Antibody;Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody;

NCBI AND UNIPROT INFORMATION

NCBI GI #	164664494
NCBI GeneID	16880
NCBI Accession #	NP_001106857.1
NCBI GenBank Nucleotide #	NM_001113386.1
UniProt Accession #	P42703; Q5I0Y2
Molecular Weight	81,287 Da
NCBI Official Full Name	leukemia inhibitory factor receptor isoform 2
NCBI Official Synonym Full Names	leukemia inhibitory factor receptor
NCBI Official Symbol	Lifr
NCBI Official Synonym Symbols	LIF; AW061234; A230075M04Rik
NCBI Protein Information	leukemia inhibitory factor receptor
UniProt Protein Name	Leukemia inhibitory factor receptor
UniProt Gene Name	Lifr
UniProt Synonym Gene Names	LIF receptor; LIF-R

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/leukemia-inhibitory-factor-receptor-lifr-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/131163>