

Rabbit anti-Mouse, Rat Thymus Activation Regulated Chemokine (TARC) Polyclonal Antibody | anti-TARC antibody

Polyclonal Antibody to Thymus Activation Regulated Chemokine (TARC)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131617	Rabbit	Mouse, Rat	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Thymus Activation Regulated Chemokine (TARC); Polyclonal Antibody; Polyclonal Antibody to Thymus Activation Regulated Chemokine (TARC); anti-TARC antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against TARC. It has been selected for its ability to recognize TARC in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with N-terminal His-Tag and the sequence is listed below. MG HHHHHHSGSE F-LLLGTFLLQ HARAARATNV GRECCLDYFK GAIPKRLVS WYKTSVECSR DAIVFLTVQG KLICADPKDK HVKK
Sequence Length	93
Applicable Applications for anti-TARC antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant TARC (Leu12~Lys83) expressed in E.coli.
Cross Reactivity	Mouse
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Liver Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Mouse Liver Cancer Tissue.



WB (Western Blot)

Western Blot: Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	225735579
NCBI GeneID	20295
NCBI Accession #	NP_035462.2
NCBI GenBank Nucleotide #	NM_011332.3
UniProt Accession #	Q9WUZ6
Molecular Weight	10,467 Da
NCBI Official Full Name	C-C motif chemokine 17
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 17
NCBI Official Symbol	Ccl17
NCBI Official Synonym Symbols	Tarc; Abcd-2; Scya17; Scya17l
NCBI Protein Information	C-C motif chemokine 17
UniProt Protein Name	C-C motif chemokine
UniProt Gene Name	Ccl17

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/thymus-activation-regulated-chemokine-tarc-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/131617>