

Rabbit anti-Human Complement Component 4c (C4c) Antibody | anti-C4c antibody

Polyclonal Antibody to Complement Component 4c (C4c)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131704	Rabbit	Human	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Complement Component 4c (C4c); Polyclonal Antibody to Complement Component 4c (C4c); anti-C4c antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Purity/Purification	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Form/Format	Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/ml (varies by lot)
Applicable Applications for anti-C4c antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Source	Polyclonal antibody preparation
Traits	Liquid
Immunogen	Recombinant C4c expressed in E.coli ().
Preparation and Storage	Storage: Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. Stability Test: thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES



WB (Western Blot)

Figure. Western Blot: Sample: Recombinant C4c, Human

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/rabbit-human-antibody/complement-component-4c-c4c/131704>