

Rabbit anti-Human Tissue Factor (TF) Polyclonal Antibody | anti-TF antibody

Polyclonal Antibody to Tissue Factor (TF)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA131766	Rabbit	Human	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry


PRODUCT SYNONYMS

Tissue Factor (TF); Polyclonal Antibody; Polyclonal Antibody to Tissue Factor (TF); anti-TF antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against TF. It has been selected for its ability to recognize TF in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4, containing 0.02% Na ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence	Antigen: The target protein is fused with N-terminal His-Tag and its sequence is listed below. MG HHHHHHSGS- GTTNTVAAYN LTWKSTNFKT ILEWEPKPVN QVYTVQISTK SGDWSKCFY TDTTECDLTD EIVKDVQTY LARVFSYPAG NVESTGSAGE PLYENSPEFT PYLETNLGQP TIQSFEQVGT KVNVTVEDER TLVRRNNTFL SLRDVFGKDL IYTLYYWKSS SSGKKTAKTN TNEFLIDVDK GENYCFSVQA VIPSRTVNRK STDSPVECMG QEKGEFRE
Sequence Length	295
Applicable Applications for anti-TF antibody	WB (Western Blot), ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry)
Immunogen	Recombinant TF (Gly34-Glu251) expressed in E.coli.
Cross Reactivity	Human
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Tissue.




IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Liver Cancer Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Lung Cancer Tissue.



IHC (Immunohistochemistry)
DAB staining on IHC-P; Samples: Human Skin Cancer Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant TF, Human.

NCBI AND UNIPROT INFORMATION

NCBI GI #	296010912
NCBI GeneID	2152
NCBI Accession #	NP_001171567.1
NCBI GenBank Nucleotide #	NM_001178096.1
UniProt Accession #	P13726; Q6FHG2; Q86WH4; D3DT47
Molecular Weight	27,145 Da
NCBI Official Full Name	tissue factor isoform 2
NCBI Official Synonym Full Names	coagulation factor III, tissue factor

NCBI Official Symbol	F3
NCBI Official Synonym Symbols	TF; TFA; CD142
NCBI Protein Information	tissue factor
UniProt Protein Name	Tissue factor
UniProt Gene Name	F3
UniProt Synonym Gene Names	TF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tissue-factor-tf-antibody-western-blot-immunohistochemistry-immunocytochemistry-elisa/131766>